

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 4066
 Rec. May 7 1958
 Well No. _____
 Permit No. 17831
Do not fill in

Owner National Guard Bureau Driller Harvey & Bob Meyer
 Address Carson City, Nevada Address 306 Bath Street C.C Lic. No. 10
 Location of well: SW 1/4 SW 1/4 Sec. 20, T. 15 N/S, R. 20 E, in Ormsby County
 or .08 Mile South of Carson on East side of Hy #50
 Water will be used for Shop & Domestic Total depth of well 252 feet
 Size of drilled hole 10 Inch Weight of casing per linear foot 13#
 Thickness of casing 10 Gage Temp. of water 53 Degrees
 Diameter and length of casing 8" ID, 252 feet
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure Not Flowing
 If nonflowing well give depth of standing water from surface 19 feet
 If flowing well describe control works Not Flowing
(Type and size of valve, etc.)
 Date of commencement of well April 14, 1958 Date of completion of well May 2, 1958
 Type of well rig 24-L Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	1	1	Sandy Top Soil
1	5	4	Sandy Clay
5	35	30	Hard Pan
35	40	5	Sand
40	44	4	Sandy Clay
44	104	60	Clay
104	150	46	Sandy Clay
150	154	4	Blue Clay
154	176	22	Sandy Clay
176	197	21	Decomposed Granite
197	230	33	Hard Granite
230	234	4	Hard Granite
234	238	4	Blue Granite
238	248	8	Clay & Sand
248	251	3	Blue Granite
251	252	1	Sandy Clay

HARVEY & BOB MEYER
 DRILLING CONTRACTORS
 CARSON CITY, NEVADA

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 35 to 40 ft.

Other aquifers.....
Possible 154 to 176'

First water at 35 feet.

Casing perforated
 from 32 to 80 ft.

Size of perforations
3/16" X 1 1/2"
80 to 252'
1/8" X 6"

