

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 4068
 Rec. May 13 19 58
 Well No. _____
 Permit No. _____

Do not fill in

Owner Horseshoe Ranch Driller Louis Clarkson
 Address Beowawe, Nev Address Elko, Nev Lic. No. 4
 Location of well: SE 1/4 NE 1/4 Sec 22, T 22 N/S, R 49 E, in Gardner County
 or _____

Water will be used for stock Total depth of well 203 ft.
 Size of drilled hole 8" Weight of casing per linear foot 19 lbs
 Thickness of casing 5/16" Temp. of water Cold
 Diameter and length of casing 6" 203 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure. _____
 If nonflowing well give depth of standing water from surface 115 ft.
 If flowing well describe control works. _____
(Type and size of valve, etc.)

Date of commencement of well 4-17-58 Date of completion of well 4-23-58
 Type of well rig Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
	120	120	<u>Hard yellow Clay</u>
120	203	83	<u>Soft brown sand</u>

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 115 to 203 ft.

Other aquifers _____

First water at 115 feet.

Casing perforated

from 120 to 200 ft.

Size of perforations

1/8 X 5"

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

Bailed 15 gals per min @ 125 ft.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed *Louis Clarkson*
Well Driller

By *J N Muth*

License No. *211*

Dated *5-11-*, 19*58*

(Not to be filled in by Driller)

OFFICE
STATE ENGINEER

1958 MAY 13 AM 10 41

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. _____
 Rec. _____ 19. _____
 Well No. _____
 Permit No. 40859

Do not fill in

Owner Therese Ruth Driller Bill Hansen
 Address Rem - ave Madras Address 312 N. Madras Lic. No. _____
 Location of well: N 1/4 ^{408 32 49} 1/4 Sec. 14, T. 2N/S, R. 5E, in Garfield Cour. _____
 or _____
 Water will be used for Stock Total depth of well 402
 Size of drilled hole 8" Weight of casing per linear foot 19 lbs
 Thickness of casing 5/16 Temp. of water 72
 Diameter and length of casing 6" 402 ft
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 275 ft.
 If flowing well describe control works _____
 (Type and size of valve, etc.) 4-11-58
 Date of commencement of well 3-11-58 Date of completion of well 4-11-58
 Type of well rig Cable tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
	130	130	Hard granitic clay shale
130	285	155	shale
285	295	10	Broken shale
295	375	180	Hard shale
375	402	27	Sandy shale

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 375 to 375 ft.
 Other aquifers 285

First water at 285 feet.

Casing perforated
 from 285 to 320 ft.
and 360 to 400
 Size of perforations
1/8 x 5"

RECEIVED

DEPARTMENT OF LAND MANAGEMENT

MAY 26 1958

Bureau of Land Management

ELKO DISTRICT OFFICE

