

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 4246
 Rec. 9-15 19 58
 Well No.
 Permit No.
Do not fill in

Owner..... Homer Pope Driller..... M. Artlip
 Address..... Sullivan Lane, Sparks, Nev. Address..... Sun Valley Lic. No. 287
 Location of well: NE 1/4 NE 1/4 Sec 6, T. 19 N/S, R. 20 E, in Washoe County
 or Lots 33 & 34 of P.J. Kellys Sub.Div. Twnshp 19 & 20 N, R 20 E.
 Water will be used for..... Domestic Total depth of well..... 57'
 Size of drilled hole..... 6" Weight of casing per linear foot..... 7 lbs.
 Thickness of casing..... 10 ga. Temp. of water..... cold
 Diameter and length of casing..... 6" by 57'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure.....
 If nonflowing well give depth of standing water from surface..... 4'
 If flowing well describe control works.....
 (Type and size of valve, etc.)
 Date of commencement of well..... Aug. 4 Date of completion of well..... Aug 8, 1958
 Type of well rig..... cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	9	9	hard pan gumbo
9	27	18	clay boulders
28	37	10	water sand rock
37	46	9	sandy clay
46	53	7	fine sand
53	57	4	volcanic ash, clay

Water-bearing Formation, Casing Perforations, Etc.
water sand rock
 Chief aquifer (water-bearing formation)
 from 27 to 37 ft.
 Other aquifers..... fine sand
46 to 53 ft.
 First water at..... 9 feet.
 Casing perforated
 from 25 to 55 ft.
 Size of perforations
1/16th & 6"



