

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 6209  
 Rec. Nov. 3. 1961  
 Well No. ....  
 Permit No. ....  
*Do not fill in*

Owner Dr. Stokes Driller A & B Contractors (Rahier)

Address 43 L. St. Sparks, Nevada Address Sun Valley, Nev. Lic. No. 343

Location of well: NW 1/4 NE 1/4 Sec. 32, T.20.N/S, R.20.E, in Washoe County

Water will be used for domestic Total depth of well 107'

Size of drilled hole 6" Weight of casing per linear foot 13 lbs

Thickness of casing 188 Temp. of water \* cold

Diameter and length of casing 6" X 107'2"  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface 60'

If flowing well describe control works.....  
(Type and size of valve, etc.)

Date of commencement of well 1-26-61 Date of completion of well 2-8-61

Type of well rig cable tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
1	0		Stand pipe	
0	6	6	top soil	
6	20	14	clay & rock	Chief aquifer (water-bearing formation) from <u>80</u> to <u>107</u> ft.
20	50	30	decomposed rock	
50	72	22	" " " "	
72	107	35	fractured rock	Other aquifers.....  First water at <u>80</u> feet.  Casing perforated from <u>50</u> to <u>107</u> ft.  Size of perforations <u>1/8 X 6"</u>



