

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7028
 Rec. FEB 27 1963
 Well No. _____
 Permit No. 19042
Do not fill in

Owner Bruce Milne Driller Burroughs Electric Company

Address Mustang, Nevada Address 2171 East Second Lic. No. 257

Location of well: SE 1/4 SE 1/4 Sec. 9, T19 N/S, R. 21E, in Washoe County East 1/2

Water will be used for Domestic Total depth of well 185 Feet

Size of drilled hole 6" Weight of casing per linear foot 188 Wall

Thickness of casing 188 Wall Temp. of water Cold

Diameter and length of casing 6" By 185'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface _____

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well February 1, 1957 Date of completion of well February 13, 1957

Type of well rig Cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3'	3'	Top Soil
3'	12'	9'	Boulders Clay & Sand
12'	36'	24'	Volcanic Rock Broken
36'	68'	32'	Broken Rock & Clay
68'	85'	17'	Clay Sand & Gravel
85'	158'	73'	Broken Rock & Sandie Clay
158'	185'	27'	Boulders Sandie Clay & Gravel (Water Bearing)

*3" dia
15 gal/min*

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 158' to 185' ft.

Other aquifers... None

First water at 158' feet.

Casing perforated
 from 100 to 184 ft.

Size of perforations
Torch Cut

MAR 1 AM 9 38

STATE ENGINEER



