

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7029
 Rec. MAR. 4 1963
 Well No.
 Permit No.

Do not fill in

Owner Jack S. Callahan Driller Jimmy R. Tompkins
 Address 634 Thoma st., Reno Address Box 99 Carson City Lic. No. 341
 Location of well: NW 1/4 SW 1/4 NE 1/4 Sec. 11, T. 17N, R. 19E, in Washoe County

Water will be used for domestic Total depth of well 150 ft.

Size of drilled hole 6 3/8 Weight of casing per linear foot

Thickness of casing .188 Temp. of water cold

Diameter and length of casing 6 5/8 x 40 ft.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface..... 95 ft.

If flowing well describe control works.....
 (Type and size of valve, etc.)

Date of commencement of well Feb 20 - 63 Date of completion of well Mar 1 - 63

Type of well rig percussion

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	42	42	Boulder bed
42	140	98	D.K. Granite
140	150	10	Sand + Gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 125 to 150 ft.
 Other aquifers none

First water at 125 feet.

Casing perforated
 from 130 to 150 ft.

Size of perforations
1/8



LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
6 5/8	+ 1	150	151	Bentonite Grout.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed James P. Tomman
Well Driller

By.....

License No. 6696

Dated Mar 4, 1963

(Not to be filled in by Driller)
