

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 7061
 Rec. MAR. 18 1963
 Well No. _____
 Permit No. _____

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Do not fill in

Owner D. F. Pally Driller J. W. Cunningham
 Address 870 S. Vester Rd. Address Reno Lic. No. 242
 Location of well: $\frac{1}{4}$ $\frac{1}{4}$ Sec. 22, T. 28 N. 8, R. 28 E. in Washoe County
 or Beiler Grade - 870 S. Vester Rd. - Am. E. Hwy # 27
 Water will be used for Domestic Total depth of well 180'
 Size of drilled hole 6" Weight of casing per linear foot 13'
 Thickness of casing 3/16 Temp. of water 60°
 Diameter and length of casing 6" X 180'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 55'
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well 1/29 Date of completion of well 2/11/63
 Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	7	7	hard pan + boulders
7	42	35	Boulders + Gr.
42	97	55	shale some seepage
97	131	34	hard shale yellow
131	159	48	white alk.
159	162	3	hard rock
162	180	28	water bearing shale

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 162 to 180 ft.

Other aquifers None

First water at 55 feet.

Casing perforated
 from 160 to 180 ft.

Size of perforations
Trench Cut - 1/8"

MAR 18 AM 9 28
 STATE ENGINEER

