

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7097
 Rec. Apr. 8 1963
 Well No.
 Permit No.
Do not fill in

Owner Charlie Murray Driller W. E. Wilson

Address 914 S. Minnesota, Carson City Address Box 255 Carson City Lic. No. 501

Location of well: NK 1/4 SE 1/4 Sec. 29, T. 15 N/8, R. 22 E, in Pershing County

Water will be used for Domestic Total depth of well 83 ft.

Size of drilled hole 11" to 26 ft Weight of casing per linear foot 9.7 lbs.

Thickness of casing 11 gauge Temp. of water Cold

Diameter and length of casing 6" X 84 ft
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface..... 34

If flowing well describe control works.....
(Type and size of valve, etc.)

Date of commencement of well 3-9-63 Date of completion of well 3-11-63

Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	5	5	sandy loam soil	
5	7	2	hard pan	
7	10	3	clay	Chief aquifer (water-bearing formation) from <u>78</u> to <u>82</u> ft.
10	15	5	sandy clay	Other aquifers <u>26-30'</u>
15	20	5	clay	<u>37-42</u>
20	26	6	clay	<u>53-64</u>
26	35	9	sand	<u>71-74</u>
35	37	2	clay	
37	42	5	sand & gravel	First water at <u>26</u> feet.
42	43	1	clay	
43	45	2	sand	
45	46	1	clay	
46	48	2	sand	Casing perforated from <u>66</u> to <u>84</u> ft.
48	49	1	clay	
49	52	3	sand	
52	53	1	clay	
53	57	4	sand	Size of perforations <u>3 X 3/8</u>
57	58	1	clay	
58	69	11	sand	
69	71	2	clay	
71	74	3	sand	
74	75	1	clay	

(OVER)



