

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 7112  
 Rec. April 17 1963  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Western Pork Producers of America Inc. C.C. Davidson  
 Driller 337

Address Fallon Nevada Address Box 69 Fallon Nev. Lic. No. \_\_\_\_\_

Location of well: 1/4 NW 1/4 Sec. 15, T. 12 N/S, R. 22 E, in Churchill County

or 1/4 mi. north junction Hwy. 95 alternate Hwy 50 eight mi. west of Fallon

Water will be used for Domestic & Stock Total depth of well 113

Size of drilled hole 16" 10" casing installed Weight of casing per linear foot 28 lb.

Thickness of casing 1/4 wall Temp. of water 61

Diameter and length of casing 10 1/4 0 to 113  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 28

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well Mar. 1 1963 Date of completion of well Mar. 15 1963

Type of well rig Cable

### LOG OF FORMATIONS

| From feet | To feet | Thickness feet | Type of material                |
|-----------|---------|----------------|---------------------------------|
| 0         | 28'     | 28             | sandy loam no hard pan          |
| 28        | 31      | 3              | br. clay                        |
| 31        | 42      | 11             | water sand full of mica.        |
| 42        | 90      | 38             | cement gravel and heaving sand. |
| 90        | 113     | 23             | course water sand and gravel    |

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 90 to 113 ft.  
 sealed

Other aquifers \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

First water at 31' feet.

Casing perforated  
 from 93 to 113 ft.

Size of perforations  
1/8 x 3



