

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY



Log No. 7171
 Rec. May 20 19 63
 Well No. _____
 Permit No. _____
Do not fill in

Owner Fred Crosby Driller Smith & Bulak Inc.

Address Wadsworth Address 195 E 6th Ave Sparks Lic. No. 207
208

Location of well: $\frac{1}{4}$ $\frac{1}{4}$ Sec. 3, T20N/S, R34E, in Washoe County
 or Center of Wadsworth town

Water will be used for Domestic Total depth of well 88

Size of drilled hole 6 5/8 Weight of casing per linear foot 12.89

Thickness of casing 188 Wall Temp. of water Cold

Diameter and length of casing 6 5/8 x 88 feet
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 38 feet

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well 3-8-63 Date of completion of well 3-11-63

Type of well rig _____

LOG OF FORMATIONS

| From feet | To feet | Thickness feet | Type of material |
|-----------|---------|----------------|---------------------|
| 0 | 6 | 6 | top soil |
| 6 | 39 | 33 | CLAY & GRAVEL |
| 33 | 56 | 23 | CEMENTED SAND & GR. |
| 56 | 61 | 5 | BROWN CLAY |
| 61 | 86 | 25 | Loose GRAVEL |
| 88 | 88 | 2 | CLAY |

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 61 to 86 ft.

Other aquifers _____

First water at 61 feet.

Casing perforated

from 70 to 85 ft.

Size of perforations

1 1/2 x 6 in. 4 Rows
Torch Cut



