

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7221
 Rec. JUNE 18 1963
 Well No.
 Permit No.
Do not fill in

Owner W. F. Freeman Driller Bob Anderson

Address 2025 Main St Sparks Nev Address 3680 Churchill Dr Lic. No. 201

Location of well: $\frac{1}{4}$ $\frac{1}{4}$ Sec. 22, T. 19 N/S, R. 20 E, in Washoe County
 or W 1/2 of SW 1/4 of Sec 22 in NE 1/4 of SE 1/4 of Sec 22 (HIDDEN VALLEY AREA)

Water will be used for Domestic Total depth of well 65 ft

Size of drilled hole 6 inch Weight of casing per linear foot 13.2 lbs

Thickness of casing 3/8" P.W.C. Temp. of water cool

Diameter and length of casing 6 inch x 40 ft casing
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface 4 ft

If flowing well describe control works.....
(Type and size of valve, etc.)

Date of commencement of well May 20 Date of completion of well May 25

Type of well rig cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	top soil
3	8	5	sand
8	30	22	blue clayey sand
30	42	12	hard solid rock
40	65	25	

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 64 to 65 ft.

Other aquifers.....
30 - 40 ft

First water at 4 feet.

Casing perforated
 from none toft.

Size of perforations



