

Plugged See Log # 26510

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7325  
 Rec. Aug 14 1963  
 Well No. \_\_\_\_\_  
 Permit No. 19989  
*Do not fill in*

Owner City Of Carson Driller Meyer Drilling Co. Inc.  
 Address Carson City, Nevada Address Carson City, Nevada Lic. No. 209  
 Location of well: SW 1/4 NE 1/4 Sec. 15, T15 N/S, R20 E, in Ormsby County  
 or Sewer Plant Across Street From Prison to North  
 Water will be used for Domestis & Industrial Total depth of well 130 Feet  
 Size of drilled hole 10 " Weight of casing per linear foot 18#  
 Thickness of casing 219 Temp. of water Cool  
 Diameter and length of casing 8 5/8" X 130 Feet  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure Flowing 8 G.P.M.  
 If nonflowing well give depth of standing water from surface Flowing  
 If flowing well describe control works 2" Outlet  
(Type and size of valve, etc.)  
 Date of commencement of well July 2/60 Date of completion of well July 13/60  
 Type of well rig K.F. 50 Rotary Rig

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	8	8	Top Soil
8	30	22	Hard Clay & Sand
30	100	70	Clay & Sand
100	130	30	Black Sand

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 100 to 130 ft.

Other aquifers \_\_\_\_\_

First water at 8 feet.

Casing perforated

from 100 to 130 ft.

Size of perforations

1/8" X 1 1/2 "

Chisel Slot  
Thompson Pipe Co.

