

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7196
 Rec. Nov. 13, 1963
 Well No. _____
 Permit No. _____
Do not fill in

Owner James E. Dickens Driller Meyer Drilling Co.
 Address 1002 Russell Way, Sparks, Nev. Address 505 Hot Springs Rd. Carson Lic. No. 209
 Location of well: NW 1/4 NE 1/4 Sec. 25, T. 21 N/S, R. 18 E, in Washoe County
 or Redrock Road - 5 miles to Stead Air Base
 Water will be used for Domestic Total depth of well 141 Feet
 Size of drilled hole 8 Inch Weight of casing per linear foot 19 Lbs.
 Thickness of casing .188 Temp. of water Cold
 Diameter and length of casing 8 5/8 OD - 141 Feet
(Casing 12" in diameter and under give inside diameter, casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure Not Flowing
 If nonflowing well give depth of standing water from surface _____
 If flowing well describe control works Not flowing (Type and size of valve, etc.)
 Date of commencement of well 8-7-63 Date of completion of well 8-11-63
 Type of well rig 71 Star - Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	Topsoil
2	5	3	Hardpan
5	35	30	Sandy Brown Clay
35	80	45	" " "
80	85	5	" " " with
85	95	10	Sandy Streaks
95	141	46	" Clay
			" " with Sand
			Streaks, making water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from _____ to _____ ft.

95 141

Other aquifers _____

82 to 83

First water at _____ feet.

82

Casing perforated

from _____ to _____ ft.

115 135

Size of perforations

3/16 X 6

Torch

