

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7574  
 Rec. Jan 19 64  
 Well No. ....  
 Permit No. ....  
Do not fill in

Owner Henry Fillippini Driller Lennox L. Mauldin  
 Address Battle Mountain, Nevada Address P.O. 115, Battle Mtn., Nev. Lic. No. 340  
 Location of well:  $\frac{1}{4}$   $\frac{1}{4}$  Sec. 11, T. 29N, R. 43E, in Lander County

Water will be used for Stock water Total depth of well 160 ft.

Size of drilled hole 6 in. Weight of casing per linear foot .....

Thickness of casing 10 ga. Temp. of water 60 deg

Diameter and length of casing 6 in. 4 ft. length  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure .....

If nonflowing well give depth of standing water from surface 16 ft.

If flowing well describe control works .....

(Type and size of valve, etc.)

Date of commencement of well Dec. 7, 1963 Date of completion of well Dec. 12, 1963

Type of well rig 71 Speed Star

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
1	18	18	Top soil
18	21	3	waterbearing gravel
21	76	55	clay
76	84	8	waterbearing gravel
84	160	76	clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 76 to 84 ft.

Other aquifers 18' to 21'

First water at 18 feet.

Casing perforated

from 80 to 92 ft.

Size of perforations

4 in wide 4 in long  
Torch perforated

