

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7588  
 Rec. Jan 10 1964  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
 1890 Do not fill in

Owner Lawrence & Stecell Ranches, Inc. Driller Harry Bolton

Address Montello, Nevada Address Twin Falls, Idaho Lic. No. 179

Location of well: SE 1/4 SW 1/4 Sec. 22., T14 N/8, R68 E, in Elko County

Water will be used for Stock Total depth of well 73'

Size of drilled hole 8" Weight of casing per linear foot 13 lb/

Thickness of casing 3/16" Temp. of water \_\_\_\_\_

Diameter and length of casing 6 5/8" OD Dia. 74'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 16 1/2'

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well Oct. 4, 1963 Date of completion of well Oct. 5, 1963

Type of well rig Churn

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	15	15	Soil
15	42	27	Clay
42	63	21	Clay & Sand
63	73'	10	Clay & Gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 63' to 73' ft.

Other aquifers \_\_\_\_\_  
42' to 63' some Water

First water at 42' feet.

Casing perforated

from 47' to 73' ft.

Size of perforations

1/8" x 10"

(OVER)



