


**WELL LOG AND REPORT TO THE STATE ENGINEER
OF NEVADA**



7756
7576
Log No. _____
Rec. April 16 1964
Well No. _____
Permit No. 21209
Do not fill in. 26246

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner James C. Taylor Driller Tobias Velle
Address 1515 Austin St Lovelland Texas Address 376 E Stillwater Fallon Lic. No. 423
Location of well: W 1/2 Sec 35, T 21 N/S, R 34 E, in Churchill County
or Nevada

Water will be used for Irrigation Total depth of well 220 ft

Size of drilled hole 24" Weight of casing per linear foot 42.05

Thickness of casing 4 Temp. of water cool

Diameter and length of casing 16" x 224 ft
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 48 ft

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 3-18-64 Date of completion of well 3-28-64

Type of well rig Rotary

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
1	20	20	Top soil
20	55	35	clay
55	65	10	Small gravel
65	70	5'	large gravel
70	80	10'	clay
80	150	70'	coarse gravel
150	160	10	water gravel
160	170	10'	fine Sand Blows
170	200	30	Small water gravel
200	220	20	Large brown water

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)
from 150 to 220 ft.

Other aquifers 55- to 70 ft

First water at 55 ft feet.

Casing perforated
from 150 to 220 ft

Size of perforations
5/16 x 4"

