

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7786
 Rec. May 12 19 64
 Well No. _____
 Permit No. _____

Do not fill in

Owner John Brackenridge Driller Meyer Drilling Co.

Address Gardnerville, Nev. Address 505 Hot Springs Rd. Lic. No. 209

Location of well: 1/4-33-1/4 Sec. 29, T. 10N/S, R. 21E, in Douglas County

or Toiyaz Lake

Water will be used for Domestic Total depth of well 85 feet

Size of drilled hole 6 Inch Weight of casing per linear foot 13 Lb. xxx

Thickness of casing .168 Temp. of water Cool

Diameter and length of casing 64.7 84 feet
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure Not Flowing

If nonflowing well give depth of standing water from surface 50 feet

If flowing well describe control works Not Flowing
(Type and size of valve, etc.)

Date of commencement of well March 14, 1964 Date of completion of well March 30, 1964

Type of well rig Cable- 72 star

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	23	23	Clay, Broken Rock & Boulders
23	37	14	Rock & Large Boulders
37	54	17	Clay, Rock & Boulders
54	85	31	Clay, Sand & Gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 60 to 85 ft.

Other aquifers.....

First water at 74 feet.

Casing perforated

from 70 to 85 ft.

Size of perforations

1/4 Inch
X 3 Inch



