

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7856
 Rec. May 22 1964
 Well No.
 Permit No.

Do not fill in.

Owner Leo Smith Driller Nevada Pump and Irr. Co
 Address Cazazza St. Reno Address 18500 So. Virg. Reno 6648
 Location of well: NW 1/4 S1 1/4 Sec. 1, T. 20 N/S, R. 20 E, in Washoe County
 or

Water will be used for Domestic Total depth of well 260'

Size of drilled hole 12 1/4" Weight of casing per linear foot 16.9#

Thickness of casing .188 Temp. of water Cold

Diameter and length of casing 8 1/4" x 260'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface 18'

If flowing well describe control works.....
(Type and size of valve, etc.)

Date of commencement of well 8/21/63 Date of completion of well 8/23/63

Type of well rig Rotary

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	50	50	Sand
50	70	20	Sandy clay
70	100	30	Sand to fine gravel
100	260	160	various sands

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)

from 180 to 260 ft.

Other aquifers 70 - 150

First water at 70 feet.

Casing perforated

from 220 to 260 ft.

Size of perforations

1/8 x 8" Burned

