

WELL LOG AND REPORT TO THE STATE ENGINEER
OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 7899
Rec. June 10 1964
Well No.
Permit No.

Do not fill in.

Owner Cecil Cooley, Contractor Driller Meyer Drilling Co. Carson
Address 998 E. Robinson, Carson Address 505 Hot Springs Rd. Lic. No. 209

Location of well: SE 1/4 NW Sec. 5, T. 19N/S, R20 E, in Ormsby County
or Lot 4 - Block 12 - Eagle Valley Subdivision

Water will be used for Domestic Total depth of well 135 Feet

Size of drilled hole 6 Inch Weight of casing per linear foot 13 Lb.

Thickness of casing ~~6 inch~~ .188 wall Temp. of water Cool

Diameter and length of casing 6" x 135' (Casing 12" diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure Not Flowing

If nonflowing well give depth of standing water from surface 10 Ft.

If flowing well describe control works Not Flowing (Type and size of valve, etc.)

Date of commencement of well Nov. 12- '63 Date of completion of well Nov. 21- '63

Type of well rig 72 Star - Cable

LOG OF FORMATIONS

| From feet | To feet | Thickness feet | Type of material |
|-----------|---------|----------------|---------------------------|
| 0 | 10 | 10 | Top Soil & Clay |
| 10 | 30 | 20 | Clay |
| 30 | 40 | 10 | Sand, Clay & Little Water |
| 40 | 55 | 15 | Clay |
| 55 | 65 | 10 | Rock (solid) |
| 65 | 100 | 35 | Rock |
| 100 | 135 | 35 | Rock |

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)

from 125 to 135 ft.

Other aquifers

First water at 125 feet.

Casing perforated

from 105 to 135 ft.

Size of perforations

3/8" x 6"

Torch

