

**WELL LOG AND REPORT TO THE STATE ENGINEER
OF NEVADA**

Log No. 7944
 Rec. July 15 1964
 Well No. _____
 Permit No. _____

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Do not fill in.

Owner Bureau of Land Management Driller Frank J. Schuh

Address Ely, Nevada Address Eureka, Nevada Lic. No. 382

Location of well: 1/4 Sec. 14, T. 24 N/S, R. 55 E, in White Pine County
 or 40 miles north of Eldorado Club on Highway 46 and 5 miles west in Big Canyon

Water will be used for Stock Well Total depth of well 275

Size of drilled hole 9 in. Weight of casing per linear foot per foot 24 lbs.

Thickness of casing 3/8 Temp. of water Cold

Diameter and length of casing I.D. 6 in. to 230 I.D. 4 in. from 230 to 275
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface _____

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 6/1/64 Date of completion of well 7/2/64

Type of well rig Cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	10	10	Surface
10	80	70	Clay and gravel
80	270	60	Fault
270	275	5	Hard lime
0	10	10	Surface
10	80	70	Clay and gravel
80	270	60	Fault
270	275	5	Hard lime

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)
 from 270 to 275 ft.

Other aquifers water came
in fault on top of hard
lime

First water at 270 feet.

Casing perforated
 from 235 to 270 ft.

Size of perforations
1/4 wide, 8 in. long
45 feet perforated

