

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 8101  
 Rec. Oct 5 1964  
 Well No. ....  
 Permit No. ....

Do not fill in.

Owner GARY DOWNS Driller IRVING R. TONNESEN  
 Address P.O. Bx 343 GARDNERVILLE Address CARSON CITY NEV Lic. No. 341  
 Location of well: SW  $\frac{1}{4}$  NW  $\frac{1}{4}$  Sec. 35, T. 14 N, R. 20 E, in DOUGLAS County

Water will be used for DOMESTIC Total depth of well 233 ft.  
 Size of drilled hole 6" Weight of casing per linear foot 12.68  
 Thickness of casing .188 Temp. of water COLD  
 Diameter and length of casing 6 5/8" x 8 ft.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....  
 If nonflowing well give depth of standing water from surface 148 ft.  
 If flowing well describe control works.....  
(Type and size of valve, etc.)

Date of commencement of well Aug 1 - 64 Date of completion of well Aug 6 - 64  
 Type of well rig CABLE TOOL

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	210	210	SANDY CLAY
210	233	23	SAND

**Water-bearing Formation, Casing Perforations, etc.**

---

Chief aquifer (water-bearing formation)  
 from 210 to 233 ft.

Other aquifers.....  
NONE

---

First water at 210 feet.

Casing perforated  
 from 205 to 229 ft.

Size of perforations  
3/32 X 3  
MILLED SLOT

