

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Well #5

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

197
Log No. 8067
Rec. Nov. 13 1964
Well No.
Permit No.
Do not fill in.

Owner Great Western Engineering Driller Reno Pump and Supply

Address Address 7468 So. Virginia - Reno Lic. No. 285

Location of well: NN 1/4 SE 1/4 Sec. 7, T.17 N/S, R.20 E, in Washoe County
or Pleasant Valley Ranches

Water will be used for Domestic Total depth of well 74'

Size of drilled hole 6" Weight of casing per linear foot

Thickness of casing 180" Temp. of water Cold

Diameter and length of casing 6" x 74'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 3 1/2'

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well October 1, 1962 Date of completion of well October 10, 1962

Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	1	1	Top soil
1	14	13	Sand and Silt
14	18	4	Sand and Gravel
18	20	2	Boulders
20	50	30	Sand, Gravel and Boulders
50	60	10	Decomposed Granite Sand w/B
60	74	14	Decomposed Granite w/B

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)
from 60 to 74 ft.

Other aquifers.....
See log.

First water at 6 feet.

Casing perforated
from 62 to 73 ft.

Size of perforations
1/8" x 3" Touch cut.

