


WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



8208
 Log No. ~~8078~~
 Rec. Nov. 13 1964
 Well No. _____
 Permit No. _____

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Do not fill in.

Owner Daniel Cassard Driller Reno Pump and Supply

Address 12000 Thomas Creek Road - Reno Address 7168 So. Virginia - Reno Lic. No. 285

Location of well: S 1/4 NE 1/4 Sec. 13, T. 18 N/S, R. 19 E, in Washoe County _____

or _____

Water will be used for Domestic Total depth of well 190'

Size of drilled hole 6" Weight of casing per linear foot _____

Thickness of casing 6" x .188" Temp. of water Cold

Diameter and length of casing 6" x .188"
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 86'

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well February 4, 1963 Date of completion of well February 28, 1963

Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	13	13	Boulders
13	25	12	Boulders and Clay, some water
25	37	12	Boulders
37	63	26	Sand Gravel with Clay
63	64	1	Ledge Rock
64	73	9	Sand Gravel and Clay, some water
73	75	2	Sand and Gravel
75	80	5	Sand Gravel and Silt
80	85	5	Sand and Gravel, some water
85	90	5	Sand Gravel and Silt
90	95	5	Sand and Gravel
95	110	15	Sand and Silt
110	121	11	Gravel and Silt
121	135	14	Sand Gravel and Clay
135	148	13	Clay and small Gravel
148	162	14	Hard Compressed Sand
162	178	16	Sand Gravel and Clay
178	188	10	Gravel and Clay, Water Bearing
188	190	2	Sand, Water Bearing

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)

from 185' to 190' ft.

Other aquifers _____

See Log

First water at 17' feet.

Casing perforated

from 152 to 170 ft.

Size of perforations

1/8" x 3" Torch Cut

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	REMARKS—Seals, Grouting, etc.
6"	0	171	171	Well Was Grouted to approx. 45' with 5 sack mix neat cement.

GENERAL INFORMATION—Pumping Test, Quality of Water, etc.

Well was Bail tested at 10 GPM.

.....

.....

.....

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed *Geo A. Parker*
Well Driller

By.....

License No. 343

Dated 10/24/64, 1964

(Not to be filled in by Driller)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

80 3 PM 13 NOV 1964

STATE ENGINEER