

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

A. G. Well

Log No. 8643  
 Rec. Aug 30 1965  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Do not fill in.

Owner Bureau of Land Management Driller Frank J. Schuh

Address Ely, Nevada Address Eureka, Nevada Lic. No. 382

Location of well: NW 1/4 NE 1/4 Sec. 29, T. 9 N, R. 60 E, in Nye County  
 or \_\_\_\_\_

Water will be used for stock water Total depth of well 142

Size of drilled hole 8 in. Weight of casing per linear foot 18 #

Thickness of casing 1/4 Temp. of water cold

Diameter and length of casing 6 In. I.D. 142 long plus 6 in. for shoe  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 70 feet from surface

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well 8/11/65 Date of completion of well 8/24/65

Type of well rig Cable tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	15	15	Surface
15	40	25	Hardpan
40	70	35	Gravel
70	95	25	Clay and gravel
95	100	5	Gravel
100	105	5	Clay
105	110	5	Gravel
110	135	25	Sand
135	142	7	Clay

#### Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)  
 from 95 to 142 ft.

Other aquifers \_\_\_\_\_  
gravel and sand

First water at 95 feet.  
 2nd water 112

Casing perforated  
 from 82 to 137 ft.

Size of perforations  
1/8 wind - 8 long  
4 to the round

