

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 8658
 Rec. Sept. 20 19 65
 Well No. _____
 Permit No. 77694
 Do not fill in

Owner Michael McLaughlin Driller W. S. Wright, Sr.

Address 1710 South 8th St. Las Vegas, Nevada Address Dyer, Nevada 89010 Lic. No. 56

Location of well: NE 1/4 NE 1/4 Sec. 13., T. 6 N, R. 40 E. in Nye County
 or _____

Water will be used for Irrigation Total depth of well 480 feet

Size of drilled hole 28" Weight of casing per linear foot 29 lbs

Thickness of casing 1/4" Temp. of water 67

Diameter and length of casing 14" OD 30 ft lengths
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 78 feet

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well July 19, 1965 Date of completion of well August 26, 1965

Type of well rig Rotary

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
Top	78	78	Sand, gravel & rocks
78	82	4	Sand
82	185	103	Sand, gravel & rock
185	195	10	Sand & gravel
195	235	40	Conglomerate
235	250	15	Sand, gravel & rock - loose
250	304	54	Conglomerate
304	308	4	Loose rock & sand
308	342	34	Gravel, rock - clay binding
342	345	3	Sand, gravel - loose
345	450	105	Rock, sand & gravel - tight
450	480	30	Rock, sand & gravel - loose

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 78 to 82 ft.
 Other aquifers 185 - 195
235 - 250
304 - 308
342 - 346
450 - 480

First water at 78 feet.

Casing perforated
 from 90 to bottom ft.

Size of perforations
1/8 by 3"



