

**WELL LOG AND REPORT TO THE STATE ENGINEER  
OF NEVADA**

Log No. 8980  
 Rec. May 18 1966  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Do not fill in.

Owner B.L.M. Driller Ralph C. Denton  
 Address Elko Nev. Address Mustang Blvd Lic. No. 187  
 Location of well: SE 1/4 NW 1/4 Sec. 10, T. 32. N/S, R. 56. E, in. Elko County

Permit No. \_\_\_\_\_

Water will be used for Stock Water Total depth of well 227

Size of drilled hole 6" Weight of casing per linear foot 18.9

Thickness of casing 280 Temp. of water not near

Diameter and length of casing 6" 228' 6"  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure. \_\_\_\_\_

If nonflowing well give depth of standing water from surface. \_\_\_\_\_

If flowing well describe control works. \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well 4-22-66 Date of completion of well 4-27-66

Type of well rig Cable tool

**LOG OF FORMATIONS**

From feet	To feet	Thickness feet	Type of material
0	20		top soil + Brown Sand.
20	115		Clay + gravel.
115	130		Brown Clay + gravel.
130	165		Brown Sand.
165	180		White Clay + Sand.
180	190		Brown + White Sand.
190	200		Brown Sand.
200	227		White + Brown Sand

**Water-bearing Formation, Casing Perforations, etc.**

Chief aquifer (water-bearing formation)

from \_\_\_\_\_ to \_\_\_\_\_ ft.

Other aquifers \_\_\_\_\_

First water at 195 feet.

Casing perforated from 200 to 227 ft.

Size of perforations 3/8" X 6"

