

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 9306
 Rec. Dec 8 1966
 Well No.
 Permit No.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Do not fill in.

Owner Steve A. Munzzone Driller Joe Cunningham
 Address 160. Chagone St Reno Address Box 844 Reno Lic. No 242
 Location of well 1/4 NW 1/4 Sec. 4, T. 17 N/S, R. 20 E, in Washoe County
 or Steam Boat Hwy
 Water will be used for Domestic Total depth of well 140
 Size of drilled hole 6" Weight of casing per linear foot 13#
 Thickness of casing 3/16" Temp. of water 50.90
 Diameter and length of casing 6" X 140'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure.....
 If nonflowing well give depth of standing water from surface 25 ft
 If flowing well describe control works.....
(Type and size of valve, etc.)
 Date of commencement of well 10/27/66 Date of completion of well 11/1/66
 Type of well rig Cape Tool

LOG OF FORMATIONS

| From feet | To feet | Thickness feet | Type of material |
|-----------|---------|----------------|--|
| 0 | 12 | 12 | D.G. + Boulders |
| 12 | 15 | 3 | clay - |
| 15 | 26 | 11 | Brown Rock - |
| 26 | 32 | 6 | Sersac watg Sand + Boulders - |
| 32 | 68 | 46 | Broken Rock - |
| 68 | 120 | 52 | Shale Some ^{seepage} water |
| 120 | 130 | 10 | Loose Shale Some water - |
| 130 | 140 | 10 | clay - |

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)
 from 120 to 130 ft.
 Other aquifers 68-110
 First water at 26 feet.
 Casing perforated
 from 68 to 130 ft.
 Size of perforations
Mills Knife 7/16

