WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 9405
Rec. Feb 21 1967
Well No.
Permit No.
Do not fill in

Owner: Robert Compton
Driller: W. E. Blair
Address: Box 6 Smith, Nevada
Address: Box 255 Carson City Lic. No. 301

Location of well: ¼ ¼ Sec. 10, T. 11 N/S, R. 23 E, in Lyon County

or

Water will be used for: Stock
Total depth of well: 79 ft
Size of drilled hole: 12" to 32 ft
Weight of casing per linear foot: 12.5 lbs
Thickness of casing: 10 ga.
Temp. of water: Cold
Diameter and length of casing: 8" X 80 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface: 24 ft

If flowing well describe control works (Type and size of valve, etc.)

Date of commencement of well: 2-10-67
Date of completion of well: 2-14-67

Type of well rig: Cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	Sandy Gravel top soil
3	15	12	Cemented Gravel & Rock
15	32	17	Brown clay.
32	34	2	Grey sandy clay
34	42	8	Grey sand
42	77	35	Grey clay & sand
77	79	2	Grey clay.

(OVER)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
from 42 to 77 ft.

Other aquifers 32 - 34
36 - 40

First water at 32 feet.

Casing perforated
from 56 to 76 ft.

Size of perforations
3" X 3/32"

LOG OF FORMATIONS—*Continued*

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
8"	0	79	80	Sealed with puddled mud

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

Test by bailing – 50 G.P.M.

WELL DRILLERS STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed W. E. Blair
Well Driller

By Florence Blair Co-Owner

License No. 301

Dated 2-17, 1967

(Not to be filled in by Driller)

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 9405
Rec. Feb. 21 196
Well No.
Permit No.
Do not fill in

Owner: Robert Compton
Address: Box 6 Smith, Nevada
Driller: W. E. Blair
Address: Box 255 Carson City Lic. No. 301

Location of well: ¼ ¼ Sec. 10, T. 11 N/S, R. 23 E, in Lyon County

or

Water will be used for: Stock
Total depth of well: 79 ft
Size of drilled hole: 12" to 32 ft
Weight of casing per linear foot: 12.5 lbs
Thickness of casing: 10 ga.
Temp. of water: Cold
Diameter and length of casing: 8" X 80 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface: 24 ft

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well: 2-10-67
Date of completion of well: 2-14-67

Type of well rig: Cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	Sandy Gravel top soil
3	15	12	Cemented Gravel & Rock
15	32	17	Brown clay.
32	34	2	Grey sandy clay
34	42	8	Grey sand
42	77	35	Grey clay & sand
77	79	2	Grey clay.

(OVER)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
from 42 to 77 ft.

Other aquifers 32 - 34
36 - 40

First water at 32 feet.

Casing perforated
from 56 to 76 ft.

Size of perforations
3" X 3/32"

LOG OF FORMATIONS—*Continued*

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
8"	0	79	80	Sealed with puddled mud

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

Test by bailing - 50 G.P.M.

WELL DRILLERS STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed W. E. Blair
Well Driller

By Florence Blair Co-Owner

License No. 301

Dated 2-17, 1967

(Not to be filled in by Driller)

1967 FEB 20 AM 10 43