

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 10158  
 Rec. July 15 1968  
 Well No. Starr Val  
 Permit No. \_\_\_\_\_

Do not fill in.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner D.P. WARD Driller A.O. LARGE  
 Address P.O. BOX 26 DENNIS NEVADA Address BOX 845 TULLO, NEV. Lic. No. 597  
 Location of well S. 1/4, T. 11N, R. 50E, DENNIS FLATS in TULLO County  
 Permit No. \_\_\_\_\_  
 Water will be used for STOCK WELL Total depth of well 30  
 Size of drilled hole 6 5/8 Weight of casing per linear foot 12.89  
 Thickness of casing .188 Temp. of water 62  
 Diameter and length of casing 6 5/8--30 FT.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 18  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well 7-2-68 Date of completion of well 7-3-68  
 Type of well rig KEYSTONE 50

## LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
TOP	2	2	TOP SOIL LIGHT BROWN
2	16	14	BROWN CLAY
16	22	6	GRAVEL
22	30	8	BLUE CLAY

**Water-bearing Formation, Casing Perforations, etc.**

---

Chief aquifer (water-bearing formation)  
 from 18 to 20 ft.

Other aquifers \_\_\_\_\_

---

First water at 18 feet.

Casing perforated  
 from 10 to 30 ft.

Size of perforations  
3/16 LONG-5 TIMES AROUND

