

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 10307  
 Rec. Nov. 12 1968  
 Well No. \_\_\_\_\_  
 Permit No. CARP

Do not fill in.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner FRANK M. LEVYA Driller A. O. LARGE  
 Address P. O. BOX 117 ELKO, NEVADA Address BOX 445 ELKO, NEVADA Lic. No. 397  
 Location of well: NW 1/4 NW 1/4 Sec 28, T. 34N/S, R. 55E, in ELKO County  
 Permit No. XXXXX SOUTH ON BOULION ROAD FROM ELKO  
 Water will be used for DOMESTIC Total depth of well 71  
 Size of drilled hole 10" TO 5 1/2" - 6 5/8 TO 7 1/2 Weight of casing per linear foot 12.49  
 Thickness of casing .188 Temp. of water 53  
 Diameter and length of casing 6 5/8 TO 69 FT.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 22 FT.  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well 10-16-68 Date of completion of well 10-24-68  
 Type of well rig KEYSTONE 50 CABLE TOOL

## LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
TOP	3	3	RED SANDY TOP SOIL
3	28	25	RED CLAY
28	34	6	SAND & GRAVEL TOP WATER
34	52	18	BLUE CLAY MIXED WITH GRAVEL
52	54	2	BLACK SAND
54	58	4	BLACK CLAY WITH SOME WATER
58	65	7	BLACK SAND & GRAVEL
65	71	6	BLUE CLAY

### Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)  
 from 52 to 65 ft.

Other aquifers 28--34

First water at 28 feet.

Casing perforated  
 from 48 to 68 ft.

Size of perforations  
3/16-3" LONG - 8 TIMES AROUND

