

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 10308
 Rec. Nov. 12 1968
 Well No. _____
 Permit No. 24174
Do not fill in

Owner Ted & Eida Nash Driller Howard Tutley

Address Dixie Rte Fallon Nev Address Dixie Rte Fallon Nev Lic. No. _____

Location of well: SW 1/4 SW 1/4 Sec. 8, T. 21 N/S, R. 35 E, in Churchill County
 or _____

Water will be used for IRRIGATION Total depth of well 200

Size of drilled hole 18" Weight of casing per linear foot 44#

Thickness of casing 1/4" Temp. of water 60°

Diameter and length of casing 16 1/2" x 200'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure 40 G.P.M. 7' head

If nonflowing well give depth of standing water from surface _____

If flowing well describe control works T.G. Valve
(Type and size of valve, etc.)

Date of commencement of well JUNE 1 '68 Date of completion of well JUNE 12 '68

Type of well rig Rotary

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	10	10	LOAM	
10	80	70	COARSE black SAND	Chief aquifer (water-bearing formation) from <u>115</u> to <u>155</u> ft.
80	115	35	Clay	Other aquifers <u>10-80</u> <u>185-200</u>
115	145	30	COARSE SAND	
145	155	10	FINE GRAVEL	
155	170	15	SAND	First water at <u>10</u> feet.
170	185	15	HARD PAN	Casing perforated
185	200	15	COARSE SAND	from <u>145</u> to <u>155</u> ft.
				Size of perforations <u>1/2" x 1/4"</u>



