

McMw-9

WHITE-DIVISION OF WATER RESOURCES  
CANARY-CLIENT'S COPY  
PINK-WELL DRILLER'S COPY

STATE OF NEVADA  
DIVISION OF WATER RESOURCES

OFFICE USE ONLY  
Log No. 100940  
Permit No. \_\_\_\_\_  
Basin 212



PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

WELL DRILLER'S REPORT  
Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 27380

1. OWNER Gary Sellers ADDRESS AT WELL LOCATION \_\_\_\_\_  
MAILING ADDRESS 8000 W Lake mead Pkwy 8000 W Lake mead Pkwy  
Henderson, NV. 89015 Henderson, NV. 89015  
2. LOCATION NW 1/4 NW 1/4 Sec. 13 T 22 N 62 E Clark (11-679340 E) County  
PERMIT NO. 17813101005 Issued by Water Resources Parcel No. \_\_\_\_\_ Subdivision Name \_\_\_\_\_

3. WORK PERFORMED  
 New Well  Replace  Recondition  
 Deepen  Abandon  Other \_\_\_\_\_  
4. PROPOSED USE  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock  
5. WELL TYPE  
 Cable  Rotary  RVC  
 Air  Other Sonic

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Silty sand		0'	50'	50'
Sandy silt		50'	60'	10'
Clay silt & sand		60'	91'	31'
Gravel sand silt		91'	100'	9'
Clay silt		100'	105'	5'
Sandy silt		105'	118'	13'
Silty sand		118'	133'	15'
Clay		133'	150'	17'

DCNR/DWR  
RECEIVED  
OCT 10 2006  
LAS VEGAS OFFICE

16" casing cemented @ 10' to surface.  
10" casing cemented from 68' to surface, out side of casing.  
GPS: N 36° = 02.409' @ 1542' Elev  
W 115° = 00.580'  
Datum: NAD83

8. WELL CONSTRUCTION  
Depth Drilled 150' Feet Depth Cased 136' Feet  
HOLE DIAMETER (BIT SIZE)  
22" From 0' To 10'  
14 3/4" Inches 10' Feet 68' Feet  
8" Inches 68' Feet 136' Feet  
6" Inches 136' Feet 150' Feet  
CASING SCHEDULE  
Size O.D. (Inches) Weight/Ft. (Pounds) Wall Thickness (Inches) From (Feet) To (Feet)  
4.5 Sch 80 .674 124 120.5  
4.5 Sch 80 .674 90.5 0'  
Perforations:  
Type perforation factory  
Size perforation 0.10  
From 120.5 feet to 90.5 feet  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
Surface Seal:  Yes  No Seal Type:  Neat Cement  
Depth of Seal 85  
Placement Method:  Pumped ben grow 82-0  Cement Grout 68'-0'  
3/8 chips 150-120.5  Poured 3/8 chips 85-82  Concrete Grout  
Gravel Packed:  Yes  No 10x20-120.5-87 #60-87-85  
From 120.5 feet to 85 feet

9. WATER LEVEL  
Static water level 8'-36" feet below land surface  
Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

Date started 9-11, 2006  
Date completed 9-18, 2006

7. WELL TEST DATA

TEST METHOD:	G.P.M.	Draw Down (Feet Below Static)	Time (Hours)
<input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input type="checkbox"/> Air Lift			

10. DRILLER'S CERTIFICATION  
This well was drilled under my supervision and the report is true to the best of my knowledge.  
Name BOART Longyear Contractor  
Address 7773 W. Seldon Ln Contractor  
Peoria, AZ 85345  
Nevada contractor's license number issued by the State Contractor's Board 0010157  
Nevada driller's license number issued by the Division of Water Resources, the on-site driller M-2250  
Signed Dennis R Reed  
By driller performing actual drilling on site or contractor  
Date 9-18-06