

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY
Log No. 107929
Permit No. _____
Basin 212

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 34859

1 OWNER Public Right of Way (Clark County)
MAILING ADDRESS 5857 E. Flamingo Rd., LV, NV 89122

ADDRESS AT WELL LOCATION Cabana Rd (300' North of Flamingo Rd.)

Subdivision Name: Cabana Relief Interceptor County: Clark

2 LOCATION SW ¼ SE ¼ Sec 16 T 21S N/S R 62 E
PERMIT/WAIVER No. DW 1256 161-16-899-001
Issued by Water Resources Parcel No.

Latitude _____ UTM E SEE NAD 27
Longitude _____ N ATTACHED NAD 83/WGS 84

3 temp dewatering
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock

Is this well being plugged because a replacement well was drilled? no
If yes, what is replacement well NOI? _____
Is there an existing well log? yes
If yes, what is NDWR well log #? _____

4 EXISTING WELL CONSTRUCTION
Depth Drilled 30 Feet Depth Cased 30 Feet

7 WELL PLUGGING PROCEDURE
Was well cleaned out to total depth? yes no

EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
8	6	3/8	0	30

If well was not cleaned out to total depth, please explain why: _____

Existing Perforations:
Type of perforation _____ machine slot
Size of perforation 0.032
From 10 feet to 30 feet
From _____ feet to _____ feet
From _____ feet to _____ feet
From _____ feet to _____ feet

Was the well contaminated? yes no
Was the casing pulled? yes no
Was the casing over drilled? yes no

If casing was left in place, please show where additional perforations were made:
Additional Perforations:
Type of perforator used: _____

5 WATER LEVEL
Static water level 8 feet below land surface
Artesian flow n/a G.P.M. _____ P.S.I. _____
Water temperature n/a °F Quality _____

From _____ feet to _____ feet Number of perfs per linear foot _____
From _____ feet to _____ feet Number of perfs per linear foot _____
From _____ feet to _____ feet Number of perfs per linear foot _____
From _____ feet to _____ feet Number of perfs per linear foot _____
From _____ feet to _____ feet Number of perfs per linear foot _____
From _____ feet to _____ feet Number of perfs per linear foot _____

6 Additional Notes or Comments

8 WELL PLUGGING MATERIALS

Abandoned all 6 wells

DCNR/DWR RECEIVED
JAN 23 2008

LAS VEGAS OFFICE

From	To	Material Used	Pumped	Poured
0	10	neat cement	<input type="checkbox"/>	<input checked="" type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>

Neat Cement Fluid Weight 94/5 lbs/gal
Bentonite Grout _____ % bentonite

Date Started 12/20/2007
Date Completed 12/20/2007

9 DRILLER'S CERTIFICATION

This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.

Name Viking Drillers Inc
Contractor

Address 801 Northport Dr.
Contractor

West Sacramento, CA 95691

Nevada contractor's license number issued by the State Contractor's Board 0034680

Nevada driller's license number issued by the Division of Water Resources, the on-site driller M 2091

Signed _____
By driller performing actual drilling on site or contractor

Date 1/16/2008

(rev. 06-06)

USE ADDITIONAL SHEETS IF NECESSARY

Dewater

From: Matt Thompson(LV) [mthompson@ConverseConsultants.com]
Sent: Friday, December 28, 2007 3:04 PM
To: SLachapelle@VikingDrillersInc.com
Subject: GPS Locations for Cabana Rd. Las Vegas

Log # 15
 107928 to
 107933

Sean,

Here are the GPS coordinates you requested for the (6) well locations on Cabana Road, Las Vegas, Nevada. I will forward you the log diagrams pending their completion. If you have any other questions please feel free to contact me. Thanks.

	Northing	Easting
W-1:	26744313.2600	811962.89470
W-2:	26744372.2100	811957.40000
W-3:	26744383.6900	811936.66550
W-4:	26744425.5400	811945.89580
W-5:	26744509.2200	811954.52700
W-6:	26744605.4700	811962.96880

Matt Thompson

Staff Geologist

Converse Consultants

731 Pilot Road, Suite H

Las Vegas, NV 89119

phone (702) 268-8336 ext. 2065

cell (702) 506-2149

fax (702) 269-8353

MThompson@converseconsultants.com

The information contained in this e-mail message (including attachments) is intended only for the personal and confidential use of the recipient(s) named above. This message (including attachments) may be work product and as such is privileged and confidential. If the reader of this message is not the intended recipient or agent responsible for delivering it to the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, distribution, or copying of this message is strictly prohibited. If you have received this communication in error, please notify us immediately by e-mail, and delete the original message.

DCNR/DWR
 RECEIVED
 JAN 23 2008

LAS VEGAS OFFICE

12/28/2007
 12/28/2007

THIS BORING LOG IS FOR VIKING'S INTERNAL PURPOSES ONLY. IT DOES NOT REPRESENT INFORMATION PROVIDED BY A SOILS ENGINEER.

LOG FOR BORING NO. 6 I		JOB NAME: CONVERSE CON			
DATE STARTED 12-11-07	DATE COMPLETED 12-12-07	LOGGED BY Ed	DRILLED BY Ed	TYPE OF DRILL RIG #36	JOB NO. 1056
DEPTH OF HOLE 30'	DIAMETER OF HOLE 24"	CASING 8"	PERFORATIONS 20'	SAMPLING METHOD	ELEVATION

LOCATION

DRILLERS NOTES:

29

**DCNR/DWR
RECEIVED
JAN 23 2008
LAS VEGAS OFFICE**

DEPTH	SAMPLES	GRAPHIC	DESCRIPTION
			→ street base
			→ cobble
			→ red clay
10'		→	→ silt sand
			→ hard clay
20'			
30'			
40'			
50'			
60'			
70'			
80'			
90'			
100'			

THIS BORING LOG IS FOR VIKING'S INTERNAL PURPOSES ONLY. IT DOES NOT REPRESENT INFORMATION PROVIDED BY A SOILS ENGINEER.

LOG FOR BORING NO. <u>5-234</u>		JOB NAME: <u>CONVERSE CON</u>			
DATE STARTED <u>12-11-07</u>	DATE COMPLETED <u>12-12-07</u>	LOGGED BY <u>ED</u>	DRILLED BY <u>ED</u>	TYPE OF DRILL RIG <u>#36</u>	JOB NO. <u>1056</u>
DEPTH OF HOLE <u>30'</u>	DIAMETER OF HOLE <u>24"</u>	CASING <u>8"</u>	PERFORATIONS <u>20'</u>	SAMPLING METHOD	ELEVATION

LOCATION
see back

DRILLERS NOTES:
29

DEPTH	SAMPLES	GRAPHIC	DESCRIPTION
			street Base rock
			cobble
			Red clay
10'			silty sand
			hard red clay
20'			
30'			
40'			
50'			
60'			
70'			
80'			
90'			
100'			

DCNR/DWR
RECEIVED
JAN 23 2008
LAS VEGAS OFFICE