

FINALIZED  
MK

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY  
Log No. 110631  
Permit No.  
Basin 087

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 60711

1 OWNER Sierra Station Properties LLC ADDRESS AT WELL LOCATION 190 West Plumb Lane  
MAILING ADDRESS 1575 E. Commercial Row Reno, NV 89505  
Reno, NV 89512 MW-2  
Subdivision Name: County: Washoe

2 LOCATION NW 1/4 NW 1/4 Sec 24 T 19N N/S R 19 E Latitude 39 301 967 UTM E NAD 27  
PERMIT/WAIVER No. 019-051-01 Longitude 119 492 535 N NAD 83/WGS 84  
Issued by Water Resources Parcel No.

3 TYPE OF WELL Is this well being plugged because a replacement well was drilled? No Is there an existing well log? Yes  
 Domestic  Irrigation  Test  Municipal/Industrial  Monitor  Stock If yes, what is replacement well NOI? If yes, what is NDWR well log #? 96311

4 EXISTING WELL CONSTRUCTION  
Depth Drilled 35 Feet Depth Cased 35 Feet

EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
4.5	2.9	.250	0	35

Existing Perforations:  
Type of perforation Factory Slotted  
Size of perforation 0.020  
From 20 feet to 35 feet  
From feet to feet  
From feet to feet  
From feet to feet  
From feet to feet

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no  
If well was not cleaned out to total depth, please explain why:

Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no  
If casing was left in place, please show where additional perforations were made:  
Additional Perforations:  
Type of perforator used: N/A  
From feet to feet Number of perfs per linear foot  
From feet to feet Number of perfs per linear foot  
From feet to feet Number of perfs per linear foot  
From feet to feet Number of perfs per linear foot  
From feet to feet Number of perfs per linear foot  
From feet to feet Number of perfs per linear foot

5 WATER LEVEL  
Static water level 30.48 feet below land surface  
Artesian flow WA G.P.M. WA P.S.I.  
Water temperature WA °F Quality good

8 WELL PLUGGING MATERIALS

From	feet to	feet	Material Used	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
0	35	feet	Portland	<input checked="" type="checkbox"/>	<input type="checkbox"/>
		feet		<input type="checkbox"/>	<input type="checkbox"/>
		feet		<input type="checkbox"/>	<input type="checkbox"/>
		feet		<input type="checkbox"/>	<input type="checkbox"/>
		feet		<input type="checkbox"/>	<input type="checkbox"/>
		feet		<input type="checkbox"/>	<input type="checkbox"/>

6 Additional Notes or Comments

Filled with portland cement two (2) bags  
NAD - 27 GPS  
39.505553 °N  
119.806017 °W

Neat Cement Fluid Weight 94 lbs/gal  
Bentonite Grout 6 % bentonite  
Date Started 4/16/2010  
Date Completed 4/16/2010

9 DRILLER'S CERTIFICATION  
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
Name WDC Exploration & Wells Contractor  
Address 570 Corinthian Way Contractor  
N. Las Vegas, NV 89030  
Nevada contractor's license number issued by the State Contractor's Board 0012852  
Nevada driller's license number issued by the Division of Water Resources, the on-site driller M-2371  
Signed [Signature] By driller performing actual drilling on site or contractor  
Date 4-19-10

RECEIVED  
2010 APR 23 PM 3:56  
STATE ENGINEERS OFFICE