

**STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S PLUGGING REPORT**

OFFICE USE ONLY
Log No. 116370
Permit No. 68617
Basin 087

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 67770

1 OWNER Truckee Meadows Water Authority
MAILING ADDRESS 1355 Capital Blvd.
Reno, NV. 89503

ADDRESS AT WELL LOCATION 1701 East Prater Way
Sparks, NV. 89432
Subdivision Name: _____ County: Washoe

2 LOCATION NW ¼ SW ¼ Sec 2 T 19N N/S R 20 E
PERMIT/WAIVER No. 68617 037-271-31
issued by Water Resources Parcel No.

Latitude N 39.54000 UTM E NAD 27
Longitude W 119.71089 N NAD 83/WGS 84

3 TYPE OF WELL
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock

Is this well being plugged because a replacement well was drilled? no
If yes, what is replacement well NOI? _____
Is there an existing well log? yes
If yes, what is NDWR well log #? 86409

4 EXISTING WELL CONSTRUCTION
Depth Drilled 510 Feet Depth Cased 490 Feet

7 WELL PLUGGING PROCEDURE
Was well cleaned out to total depth? yes no
If well was not cleaned out to total depth, please explain why: _____

EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
12		.250	+2	490

Was the well contaminated? yes no
Was the casing pulled? yes no
Was the casing over drilled? yes no

Existing Perforations.

Type of perforation	Size of perforation	From	To
wire wrap screen	.50 & .80		
		From 265 feet to 275 feet	
		From 365 feet to 375 feet	
		From 400 feet to 440 feet	
		From 460 feet to 490 feet	

Additional Perforations.

Type of perforator used:	From	To	Number of perfs per linear foot
12" Mills Knife	265	100	6

5 WATER LEVEL
Static water level flowing feet below land surface
Artesian flow 10 G.P.M. P.S.I.
Water temperature _____ °F Quality _____

8 WELL PLUGGING MATERIALS

From	To	Material Used	
490	6	neat cement	<input checked="" type="checkbox"/> Pumped <input type="checkbox"/> Poured
			<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
			<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
			<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
			<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
			<input type="checkbox"/> Pumped <input type="checkbox"/> Poured

6 Additional Notes or Comments

Conducted video of well to inspect screens. Screens were clean and we touched bottom of well at 490'. We installed 12" Mill Knife to 265' and perforated back up to 100' where we had resistance due to sanitary seal. We perforated 6 rows per foot and well did stop flowing. We then installed 483' of 2" tremme pipe. The next day we pumped in approximately 20 cubic yards of neat cement. The casing was cut off 5' below surface and covered.

STATE ENGINEER OFFICE
2011 SEP 19 PM 12:17

Neat Cement Fluid Weight 14.3 lbs/gal
Bentonite Grout _____ % bentonite
Date Started 9/12/2011
Date Complete 9/13/2011

9 DRILLER'S CERTIFICATION
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.

Name Carson Pump, LLC
Contractor
Address P.O. Box 20159
Contractor
Carson City, NV. 89721

Nevada contractor's license number issued by the State Contractor's Board 39920A
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2265

Signed [Signature]
By driller performing actual drilling on site or contractor
Date 9/16/2011

39.540020 N 119.71089 W
NA027

USE ADDITIONAL SHEETS IF NECESSARY