

**STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
WELL DRILLER'S PLUGGING REPORT**

**OFFICE USE ONLY**  
Log No. 117071  
Permit No. \_\_\_\_\_  
Basin 212

**PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK**

*Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340*

NOTICE OF INTENT NO. 36899

1 OWNER Vegas Construction LLC ADDRESS AT WELL LOCATION 2308 S. Las Vegas Blvd  
MAILING ADDRESS 9803 San Fernando Rd SVE-7 Las Vegas  
Pacolma, CA 91331-2604 Subdivision Name: \_\_\_\_\_ County: Clark

2 LOCATION SE  $\frac{1}{4}$  SE  $\frac{1}{4}$  Sec 4 T 21S N/S R 61 E Latitude 36 08'43.18"N UTM E  NAD 27  
PERMIT/WAIVER No. R-1592 162-04-813-110 Longitude 115 09'23.32"W N  NAD 83/WGS 84  
Issued by Water Resources Parcel No.

3 TYPE OF WELL  Domestic  Irrigation  Test  Municipal/Industrial  Monitor  Stock  
Is this well being plugged because a replacement well was drilled? NO  
If yes, what is replacement well NOI? \_\_\_\_\_  
Is there an existing well log? N/A  
If yes, what is NDWR well log #? \_\_\_\_\_

4 EXISTING WELL CONSTRUCTION  
Depth Drilled N/A Feet Depth Cased 13 Feet

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>2.375</u>		<u>Sch 40</u>	<u>0</u>	<u>13</u>

Existing Perforations:  
Type of perforation N/A  
Size of perforation \_\_\_\_\_ feet to \_\_\_\_\_ feet  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no  
If well was not cleaned out to total depth, please explain why: \_\_\_\_\_

Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no  
If casing was left in place, please show where additional perforations were made:  
Additional Perforations:  
Type of perforator used: N/A  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_

5 WATER LEVEL  
Static water level 11.9 feet below land surface  
Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

8 WELL PLUGGING MATERIALS

		Material Used			
From <u>1</u>	feet to <u>13</u>	feet	<u>Cement</u>	<input checked="" type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From <u>0</u>	feet to <u>1</u>	feet	<u>Concrete</u>	<input type="checkbox"/> Pumped	<input checked="" type="checkbox"/> Poured
From _____	feet to _____	feet	_____	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____	feet to _____	feet	_____	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____	feet to _____	feet	_____	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From _____	feet to _____	feet	_____	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured

6 Additional Notes or Comments  
Tremie Neat Cement form bottom up, Pressure Grout Well  
Top off as needed, Concrete cap

Neat Cement Fluid Weight 94/5.2 lbs/gal  
Bentonite Grout \_\_\_\_\_ % bentonite  
Date Started 11-Feb  
Date Completed 2/11/2013

9 DRILLER'S CERTIFICATION  
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
Name Cascade Drilling L.P. Contractor  
Address 4590 Copper Sage St Contractor  
Las Vegas, NV 89115  
Nevada contractor's license number issued by the State Contractor's Board C23-0073966  
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2381  
Signed [Signature]  
By driller performing actual drilling on site or contractor  
Date 2-27-13

USE ADDITIONAL SHEETS IF NECESSARY

(Rev. 05-06)  
OCNR/DWR/SNBO RECEIVED  
MAR 01 2013  
36.1453568 - NAD 27  
115.1556443