

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY  
Log No. 117792  
Permit No. \_\_\_\_\_  
Basin 101

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 68635

1 OWNER LL Reality ADDRESS AT WELL LOCATION 4650 Silver Sage Lane  
MAILING ADDRESS P.O. Box 9344 Fallon, NV 89406  
Fernley, NV 89408 Subdivision Name: \_\_\_\_\_ County: Churchill

2 LOCATION NE ¼ SW ¼ Sec 18 T 18N N/S R 29 E Latitude 39.42142 N UTM E  NAD 27  
PERMIT/WAIVER No. 006-811-70 Longitude -118.77484 W N  NAD 83/WGS 84

Issued by Water Resources Parcel No. \_\_\_\_\_

3 TYPE OF WELL  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock

Is this well being plugged because a replacement well was drilled? Yes  
If yes, what is replacement well NO? 68634

Is there an existing well log? Unknown  
If yes, what is NDWR well log #? \_\_\_\_\_

4 EXISTING WELL CONSTRUCTION  
Depth Drilled 28 Feet Depth Cased 28 Feet

EXISTING CASING SCHEDULE

Size O.D. (inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
6.625		.188	0	28

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no  
If well was not cleaned out to total depth, please explain why: \_\_\_\_\_

Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no

If casing was left in place, please show where additional perforations were made:  
Additional Perforations: \_\_\_\_\_

Existing Perforations:

Type of perforation	Size of perforation	From	To

Type of perforator used: Mill Knife

From	To	Number of perfs per linear foot
0	28	4

5 WATER LEVEL  
Static water level 8 feet below land surface  
Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

8 WELL PLUGGING MATERIALS

From	To	Material Used	Pumped	Poured
28	20	20% Grout	<input checked="" type="checkbox"/>	<input type="checkbox"/>
20	0	Neat Cement	<input checked="" type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>

6 Additional Notes or Comments

20% Grout from bottom to 20 ft. and Neat Cement from 20 ft to top of well.

Neat Cement Fluid Weight 15.6 lbs/gal  
Bentonite Grout 20 % bentonite  
Date Started 4/23/2012  
Date Completed 4/23/2012

9 DRILLER'S CERTIFICATION  
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.

Name Parsons Drilling, Inc. Contractor  
Address P.O. Box 1265 Contractor  
Fallon, NV 89407-1265

Nevada contractor's license number issued by the State Contractor's Board 29064  
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2307

Signed [Signature] By driller performing actual drilling on site or contractor  
Date 5/4/2012

RECEIVED  
2012 MAY -9 AM 11:31  
STATE ENGINEERS OFFICE  
*plugs cent known well log replaced by log 11/7/12*

USE ADDITIONAL SHEETS IF NECESSARY

NAD27 39.421502°N, 118.773856°W