

MW-3
 FACILITY ID:
 4-00340

STATE OF NEVADA
 DIVISION OF WATER RESOURCES
 WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY
 Log No. 118028
 Permit No. 087
 Basin

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

Please complete this form in its entirety in
 accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 69197
 3155 Kietzke Ln.

1 OWNER Shell Oil Products ADDRESS AT WELL LOCATION RENO, NV.
 MAILING ADDRESS 20945 S. Wilmington Ave Carson, CA 90815 Subdivision Name: County: Washoe

2 LOCATION SE 1/4 SE 1/4 Sec 24 T 19 N R 19 E Latitude 39.493398° N UTM E NAD 27
 PERMIT/WAIVER No. Longitude 119.788318° W N NAD 83/WGS 84
 Issued by Water Resources Parcel No. 020-211-36

3 TYPE OF WELL Is this well being plugged because a replacement well was drilled? NO Is there an existing well log? YES
 Domestic Irrigation Test Stock If yes, what is replacement well NOI? If yes, what is NDWR well log #? 88663
 Municipal/Industrial Monitor

4 EXISTING WELL CONSTRUCTION
 Depth Drilled 30 Feet Depth Cased 30 Feet
 EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>2</u>		<u>SCH. 40</u>	<u>0</u>	<u>30</u>

7 WELL PLUGGING PROCEDURE
 Was well cleaned out to total depth? yes no
 If well was not cleaned out to total depth, please explain why:
 Was the well contaminated? yes no
 Was the casing pulled? yes no
 Was the casing over drilled? yes no

Existing Perforations:
 Type of perforation manufactured
 Size of perforation

From	feet to	feet
From	feet to	feet

Additional Perforations:
 Type of perforator used:

From	feet to	feet	Number of perfs per linear foot
From	feet to	feet	Number of perfs per linear foot
From	feet to	feet	Number of perfs per linear foot
From	feet to	feet	Number of perfs per linear foot
From	feet to	feet	Number of perfs per linear foot
From	feet to	feet	Number of perfs per linear foot
From	feet to	feet	Number of perfs per linear foot

5 WATER LEVEL
 Static water level _____ feet below land surface
 Artesian flow _____ G.P.M. _____ P.S.I.
 Water temperature _____ °F Quality _____

8 WELL PLUGGING MATERIALS

From	feet to	feet	Material Used	<input checked="" type="checkbox"/> Pumped	<input type="checkbox"/> Poured
From <u>30</u>	feet to <u>0</u>	feet	<u>neat cement</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
From	feet to	feet		<input type="checkbox"/>	<input type="checkbox"/>
From	feet to	feet		<input type="checkbox"/>	<input type="checkbox"/>
From	feet to	feet		<input type="checkbox"/>	<input type="checkbox"/>
From	feet to	feet		<input type="checkbox"/>	<input type="checkbox"/>
From	feet to	feet		<input type="checkbox"/>	<input type="checkbox"/>

6 Additional Notes or Comments
Remix grout in neat cement,
then applied 25 p.s.i. for 5
minutes. Pumped in 18 gallons.

RECEIVED
 2012 DEC -7 PM 11:00
 STATE ENGINEERS OFFICE

Neat Cement Fluid Weight _____ lbs/gal
 Bentonite Grout _____ % bentonite
 Date Started 11-8-12
 Date Completed 11-8-12

9 DRILLER'S CERTIFICATION
 This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.
 Name Gregg Drilling + Testing Contractor
 Address 950 Howe Rd Martinez, CA 94553 Contractor
 Nevada contractor's license number issued by the State Contractor's Board 023-0038113
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller M-2328
 Signed [Signature]
 By driller performing actual drilling on site or contractor
 Date 11-26-12

(Rev. 05-06) USE ADDITIONAL SHEETS IF NECESSARY
 39.493398°N
 119.788318°W NAD27

