





# BORING LOG OW-9

DCNR/DWR/SNBO  
RECEIVED






SEP 17 2013

PROJECT: Site Investigation Western Elite Landfill  
 BORING LOCATION: N:36.9806 W:114.981355  
 EXPLORATION SIZE (dia.): 7" O.D. HSA  
 ELEVATION: 2,492 Feet (Approximately)

PROJECT NO.: 20133247V1  
 EXPLORATION DATE: 8/9/2013  
 EQUIPMENT: Truck Mounted Diedrich D-120  
 LOGGED BY: Robbins/Dorris

INITIAL DEPTH TO WATER: 83 Feet  
 FINAL DEPTH TO WATER: 83.98

DATE MEASURED: 8/9/2013  
 DATE MEASURED: 8/9/2013

ELEVATION/ DEPTH	SOIL & SAMPLE SYMBOLS	USCS	DESCRIPTION	PI	LL	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	SWELL (%)	DRILL RATE (seconds/foot)
35 2455			...dense.						
40 2450		CL	Dark brown lean CLAY with sand, dry, very stiff.						
45 2445		SM	Dark brown silty SAND, dry, dense.						
50 2440			...very dense.						
55 2435			...dense.						
60 2430									
65 2425		SW	Light brown well graded SAND with gravel, dry, dense.						
70									

The descriptions contained within this exploration log apply only at the specific exploration location and at the time the exploration was made. It is not intended to be representative of subsurface conditions at other locations or times.

Figure No.

# BORING LOG OW-9

DCNR/DWR/SNBO  
RECEIVED

**PROJECT:** Site Investigation Western Elite Landfill  
**BORING LOCATION:** N:36.9806 W:114.981355  
**EXPLORATION SIZE (dia.):** 7" O.D. HSA  
**ELEVATION:** 2,492 Feet (Approximately)

**PROJECT NO.:** 20133247V1  
**EXPLORATION DATE:** 8/9/2013  
**EQUIPMENT:** Truck Mounted Diedrich D-120  
**LOGGED BY:** Robbins/Dorris

SEP 17 2013

**INITIAL DEPTH TO WATER:** 83 Feet  
**FINAL DEPTH TO WATER:** 83.98

**DATE MEASURED:** 8/9/2013  
**DATE MEASURED:** 8/9/2013

ELEVATION/ DEPTH	SOIL & SAMPLE SYMBOLS	USCS	DESCRIPTION	PI	LL	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	SWELL (%)	DRILL RATE (seconds/foot)
<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <p>70</p> <p>2420</p> <p>75</p> <p>2415</p> <p>80</p> <p>2410</p> <p>85</p> <p>2405</p> <p>90</p> <p>2400</p> <p>95</p> <p>2395</p> <p>100</p> <p>2390</p> <p>105</p> </div> </div>			<p>...moist.</p> <p>SP Light brown poorly graded SAND, moist, medium dense.</p> <p>CL Dark brown lean CLAY with sand, moist, very stiff.</p> <p>GW-GM Light brown well graded GRAVEL with silt and sand, wet, medium dense.</p> <p style="text-align: center;">END OF BORING AT 95.0 FEET</p>						

The descriptions contained within this exploration log apply only at the specific exploration location and at the time the exploration was made. It is not intended to be representative of subsurface conditions at other locations or times.