

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S REPORT

OFFICE USE ONLY
Log No. 118108
Permit No. _____
Basin 210

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 37743

1. OWNER Benrock LTD
MAILING ADDRESS 420 N.Nellis Blvd. A3-234 Las Vegas Nv. 89110

ADDRESS AT WELL LOCATION 8400 N US 93 Hwy.Nv.

2. LOCATION NE 1/4 NW 1/4 Sec 24 T 11S N/S R 62 E
PERMIT/WAIVER No. MO-2960 008-201-13
Issued by Water Resources Parcel No. _____

Latitude 36.980865 UTM E _____ NAD 27
Longitude -114.988776 N _____ NAD 83/WGS 84
Subdivision Name: _____ County: Lincoln

3. WORKED PERFORMED
 New Well Replace Recondition
 Deepen Other...

4. PROPOSED USE
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock

5. WELL TYPE
 Cable Rotary RVC
 Air Other... Auger

6. LITHOLOGIC LOG				
Material	Water Strata	From	To	Thick-ness
See Attached Coppies				
DCNR/DWR/SNBC RECEIVED				
SEP 17 2013				
OW-15				

8. WELL CONSTRUCTION
Depth Drilled 40 Feet Depth Cased 38 Feet
HOLE DIAMETER (BIT SIZE)
From 8 Inches To 40 Feet
Inches _____ Feet _____
Inches _____ Feet _____

CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>2</u>	<u>PVC.</u>	<u>SCH.80</u>	<u>+3</u>	<u>38</u>

Perforations:
Type of perforation _____
Size of perforation _____
From 38 feet to 18 feet
From _____ feet to _____ feet
From _____ feet to _____ feet
From _____ feet to _____ feet

Surface Seal: Yes No Seal Type:
Depth of Seal 16 FT. Neat Cement
Placement Method: Pumped Cement Grout
 Poured Concrete Grout
Gravel Packed: Yes No
From 38 feet to 16 feet

9. WATER LEVEL
Static water level 23 feet below land surface
Artesian flow _____ G.P.M. _____ P.S.I.
Water temperature Cool °F Quality _____

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision and the report is true to the best of my knowledge.
Name Eagle Drilling Services LLC.
Address 7150 Placid St. L.V., Nv. 89119
Nevada contractor's license number issued by the State Contractor's Board 51266
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2477-M
Signed [Signature]
Date 8/21/2013

Date started 8/20/2013, 20 13
Date completed 8/20/2013, 20 13

7. WELL TEST DATA		
TEST METHOD: <input type="checkbox"/> Bailer <input type="checkbox"/> Pump <input type="checkbox"/> Air Lift	G.P.M.	Time (Hours)

BORING LOG OW-15

DCNR/DWR/SNBC
RECEIVED

SEP 17 2013

PROJECT: Site Investigation Western Elite Landfill
BORING LOCATION: N:36.98090 W:114.98784
EXPLORATION SIZE (dia.): 7" O.D. HSA
ELEVATION: 2,525 Feet (Approximately)

PROJECT NO.: 20133247V1
EXPLORATION DATE: 8/20/13
EQUIPMENT: Truck Mounted Diedrich d-120
LOGGED BY: Hansen/Dorris

INITIAL DEPTH TO WATER: 23 Feet
FINAL DEPTH TO WATER: 18.26 Feet

DATE MEASURED: 8/20/13
DATE MEASURED: 8/21/13

ELEVATION/ DEPTH	SOIL & SAMPLE SYMBOLS	USCS	DESCRIPTION	PI	LL	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	SWELL (%)	DRILL RATE (seconds/foot)
2525 0		ML	Light brown sandy SILT, dry, loose.						
2520 5	 34 36 50	GW	...gravel layer at 3 feet. brown well graded GRAVEL with sand, dry, dense. ...increasing silt fraction.						
2515 10	 10 16 50/5	ML	Dark brown sandy SILT with gravel, moist, dense.						
2510 15	 23 17 16	GM	Dark brown silty GRAVEL with sand, moist to wet, medium dense.						
2505 20	 15 8 10	CL	Blue-green sandy lean CLAY, moist, stiff.						
2500 25	 22 27 36	GW-GM	...wet. ...grinding on gravel. Dark brown well graded GRAVEL with silt and sand, wet and dense.						
2495 30	 6 13 50	CL	Light brown nodular CLAY, moist, very stiff.						
2490 35									

The descriptions contained within this exploration log apply only at the specific exploration location and at the time the exploration was made. It is not intended to be representative of subsurface conditions at other locations or times.

BORING LOG OW-15


SEP 17 2013

PROJECT: Site Investigation Western Elite Landfill
BORING LOCATION: N:36.98090 W:114.98784
EXPLORATION SIZE (dia.): 7" O.D. HSA
ELEVATION: 2,525 Feet (Approximately)

PROJECT NO.: 20133247V1
EXPLORATION DATE: 8/20/13
EQUIPMENT: Truck Mounted Diedrich d-120
LOGGED BY: Hansen/Dorris

INITIAL DEPTH TO WATER: 23 Feet
FINAL DEPTH TO WATER: 18.26 Feet

DATE MEASURED: 8/20/13
DATE MEASURED: 8/21/13

ELEVATION/ DEPTH	SOIL & SAMPLE SYMBOLS	USCS	DESCRIPTION	PI	LL	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	SWELL (%)	DRILL RATE (seconds/foot)
2490 — 35 2485 — 40 2480 — 45 2475 — 50 2470 — 55 2465 — 60 2460 — 65 2455 — 70			...trace gravel. END OF BORING AT 38.0 FEET						

The descriptions contained within this exploration log apply only at the specific exploration location and at the time the exploration was made. It is not intended to be representative of subsurface conditions at other locations or times.