

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY
Log No. **118130**
Permit No. **212**
Basin

PRINT OR TYPE ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. **37085**

1 OWNER USA
MAILING ADDRESS Washington DC

ADDRESS AT WELL LOCATION **Sunrise Manor [Nellis A.F.B.]**

Subdivision Name: County: **Clark**

2 LOCATION SE ¼ NW ¼ Sec 10 T 20S N/S/R 62 E
PERMIT/WAIVER No. **H-000078** **140-10-101-001**
Issued by Water Resources Parcel No.

Latitude **36.228904** UTM E NAD 27
Longitude **115.036596** N NAD 83/WGS 84

3 TYPE OF WELL
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock

Is this well being plugged because a replacement well was drilled?
If yes, what is replacement well NOI?

Is there an existing well log? **no**
If yes, what is NDWR well log #?

4 EXISTING WELL CONSTRUCTION
Depth Drilled **64.5** Feet Depth Cased **64.5** Feet

7 WELL PLUGGING PROCEDURE
Was well cleaned out to total depth? yes no
If well was not cleaned out to total depth, please explain why:

EXISTING CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
4	pvc	40sch	0	64.5

Was the well contaminated? yes no
Was the casing pulled? yes no
Was the casing over drilled? yes no
If casing was left in place, please show where additional perforations were made:

Existing Perforations:

Type of perforation	Factory
Size of perforation	0.02
From 34.5 feet to 64.5 feet	
From feet to feet	
From feet to feet	
From feet to feet	
From feet to feet	

Additional Perforations:

Type of perforator used:	try to pull casing and knocked out bottom
From feet to feet	Number of perfs per linear foot
From feet to feet	Number of perfs per linear foot
From feet to feet	Number of perfs per linear foot
From feet to feet	Number of perfs per linear foot
From feet to feet	Number of perfs per linear foot
From feet to feet	Number of perfs per linear foot

5 WATER LEVEL
Static water level **40** feet below land surface
Artesian flow G.P.M. P.S.I.
Water temperature ° F Quality

8 WELL PLUGGING MATERIALS


6 Additional Notes or Comments

From	To	Material Used	Material Used
From 20 feet to 64.5 feet		quik grout	<input checked="" type="checkbox"/> Pumped <input type="checkbox"/> Poured
From 0 feet to 20 feet		concrete mix	<input type="checkbox"/> Pumpe <input checked="" type="checkbox"/> Poured
From feet to feet			<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
From feet to feet			<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
From feet to feet			<input type="checkbox"/> Pumped <input type="checkbox"/> Poured
From feet to feet			<input type="checkbox"/> Pumped <input type="checkbox"/> Poured

try to pull casing
knocked out bottom
SEP 17 2013
tremied
filled from botton
to top
DCNR/DWR/SNBO RECEIVED
3961302 44mw-126

Neat Cement Fluid Weight lbs/gal
Bentonite Grout % bentonite
Date Started **8/17/2013**
Date Completed **8/17/2013**

9 DRILLER'S CERTIFICATION

This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.
Name **Eagle Drilling LLC.** Contractor
Address **7150 Placid St., Las Vegas, Nv., 89119** Contractor
Nevada contractor's license number issued by the State Contractor's Board **51266**
Nevada driller's license number issued by the Division of Water Resources, the on-site driller **2097**
Signed 
Date **8/21/2013**
By driller performing actual drilling on site or contractor

USE ADDITIONAL SHEETS IF NECESSARY

36,228904 NAD 27
-115,036596