

STATE OF NEVADA
 DIVISION OF WATER RESOURCES
WELL DRILLER'S PLUGGING REPORT

OFFICE USE ONLY
 Log No. 118255
 Permit No. 25035
 Basin 031

PRINT OR TYPE ONLY
 DO NOT WRITE ON BACK

Please complete this form in its entirety in
 accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 70870

1 OWNER Herb Clamo
 MAILING ADDRESS HC RTE 2, Box 351, Winnemucca, NV 89445

ADDRESS AT WELL LOCATION Bottle Creek Ranch

Subdivision Name: _____ County: Humboldt

2 LOCATION SE 1/4 SE 1/4 Sec 22 T 40N N/S R 33 E
 PERMIT/WAIVER No. 25035
Issued by Water Resources Parcel No.

Latitude 41deg 19.282min UTM E NAD 27
 Longitude 118deg 15.361min N NAD 83WGS 84

3 TYPE OF WELL
 Domestic Irrigation Test
 Municipal/Industrial Monitor Stock

Is this well being plugged because a replacement well was drilled? Yes
 If yes, what is replacement well NOI? 69776

Is there an existing well log? yes
 If yes, what is NDWR well log #? 35900

4 EXISTING WELL CONSTRUCTION
 Depth Drilled 383 Feet Depth Cased 380 Feet

7 WELL PLUGGING PROCEDURE
 Was well cleaned out to total depth? yes no

EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
16		.275	+1	380

If well was not cleaned out to total depth, please explain why:
Well was sounded at 384ft which was TD drilled + 1.

Existing Perforations:

Type of perforation	Wire Wrap & Double Mill Slot
Size of perforation	1/8in
From 100 feet to 160 feet	
From 160 feet to 380 feet	
From _____ feet to _____ feet	
From _____ feet to _____ feet	

Was the well contaminated? yes no
 Was the casing pulled? yes no
 Was the casing over drilled? yes no

If casing was left in place, please show where additional perforations were made:
 Additional Perforations:
 Type of perforator used: Mills Knife

From	feet to	feet	Number of perfs per linear foot
50	100	feet	4
_____	_____	feet	_____
_____	_____	feet	_____
_____	_____	feet	_____
_____	_____	feet	_____
_____	_____	feet	_____

5 WATER LEVEL
 Static water level 84 feet below land surface
 Artesian flow NA G.P.M. NA P.S.I.
 Water temperature 55 °F Quality Good

8 WELL PLUGGING MATERIALS

6 Additional Notes or Comments

*RECEIVED
 2013 OCT 11 AM 10:42
 STATE ENGINEERS OFFICE*

*plugs well log H 35900
 replaced by log 117693*

*NAD27
 41.321410N
 118.253120W*

Material Used

From	feet to	feet	Cement Grout	<input checked="" type="checkbox"/> Pumped	<input type="checkbox"/> Poured
2	384	feet			
_____	_____	feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
_____	_____	feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
_____	_____	feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
_____	_____	feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured
_____	_____	feet		<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured

Neat Cement Fluid Weight _____ lbs/gal
 Bentonite Grout _____ % bentonite
 Date Started 10/4/2013
 Date Completed 10/4/2013

9 DRILLER'S CERTIFICATION
 This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.

Name AMS Enterises
Contractor

Address 399 HWY 140
Contractor
Winnemucca, NV 89445

Nevada contractor's license number _____
 issued by the State Contractor's Board 0077730

Nevada driller's license number issued by the _____
 Division of Water Resources, the on-site driller 2140

Signed JEROD JOHNSON BY [Signature]
By driller performing actual drilling on site or contractor

Date _____