

LOG# 18272

CTMRD PROGRAM MONITORING WELL STRATIGRAPHIC LOG

Depth	Engineering Properties					1 st Description							2 nd Effects		Depositional Properties				Graphics					
	Density/Consistency	Moisture	Plasticity	Cohesiveness	Transmissivity	Color	Boulder %	Cobble %	Gravel %	Sand %	Silt %	Clay %	USCS Classification	Weathering/Oxidization	Grading	Angularity	Matrix/Clast-Supported	Clast Lithology	Sedimentary Structure	Depositional Environment	Stratigraphic Contact	PID/Samples	Lithology	
0																								
VL	M	NP	NC	H		7.5YR 7.5YR 3/2	10	20	66	10	14	SW-5M	WX	WG	SR	MX	G-10 A-50 B-40	M U	low U	G				
VL	M	NP	NC	H		multi. 7.5YR 3/2		5	95			SP		RG	R- SR	MF	G-10 A-50 B-40	M U	FLM G					

Drilling Specifications:
 Drilling Contractor: Cascade
 Drilling Method: Hand dug 0-5'
 Rig: Series 5-15'
 Driller: Ken Phillips
 Boring Diam.: 6 in TD: 16 ft
 Development Method:
 Date Start: 10/1/13 End: 10/2/13

Well Specifications:
 Location Description: S. side of Casazza, 200' E. of Wells
 Coordinates: ft N ft E
 Elevation: ft Survey Method:
 Reference Pt. Description:
 Well TD: 15 ft bgs Well Diameter: 2 in
 Screen Interval: 10-15 ft bgs
 First Water: ft bgs Static Water at completion: ft bgs



WELL ID: VP-15
 Project: Vossler East Plumb PSA
 Page 1 of 1
 LOGGED BY: B. Kearney

Note: Description section to be used to complement and provide additional information to supplement column descriptors to the left, identify any samples collected, and describe any particulars associated with drilling behavior.

10" asphalt, 10" road base
 dk. brn. well graded sand w/silt gravel, esp. near sand
 some clasts show weathering
 (dk. brn)
 multicolored poorly graded sand (m-c), w/ fr. vf-f gravel
 v. clean well-sorted sand

RECEIVED

2013 OCT 18 AM 11:10
 STATE ENGINEERS OFFICE