

PRINT OR TYPE ONLY  
 DO NOT WRITE ON BACK

WELL DRILLER'S REPORT

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 68395

1. OWNER Michael Cannon ADDRESS AT WELL LOCATION 100 N. 1500 W Lot 12 Block 6A  
 MAILING ADDRESS H.C. 1, Box 1, N. 38° 51.625' W 115° 02.287 Wgs. 24  
Hiko, NV 89017 Land ten acre plat  
 2. LOCATION SE 1/4 NE 1/4 Sec 31 T. 12 N/S R. 62 E. White Pine County  
 PERMIT NO. 82102-W-091 013-123-04 Parcel No. Land Fields Subdivision Name

3. WORK PERFORMED  
 New Well  Replace  Recondition  
 Deepen  Abandon  Other \_\_\_\_\_  
 4. PROPOSED USE  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock  
 5. WELL TYPE  
 Cable  Rotary  RVC  
 Air  Other \_\_\_\_\_

6. LITHOLOGIC LOG

Material	Water Strata	From	To	Thick-ness
Set up over old well, depth was 12.5' casing was 8" thin wall pipe, 90% rusted away. Could not determine original depth for sure				
top soil		0	5	
gravel		5	6	
clay		6	10	
gravel		10	12	
clay		12	20	
gravel	water	20	30	10'
clay		30	38	
gravel	water	38	42	4
clay		42	52	
gravel - clay con.	water	52	54	4
clay		54	70	
gravel	water	70	72	2
clay		72	80	
gravel - clay con	water	80	100	20

8. WELL CONSTRUCTION  
 Depth Drilled 99 Feet Depth Cased 99 Feet  
 HOLE DIAMETER (BIT SIZE)  

Inches	From	To	Feet	Feet
<u>10</u>	<u>0</u>	<u>52</u>		
<u>6</u>	<u>52</u>	<u>99</u>		

 CASING SCHEDULE  

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>6 7/8</u>	<u>12.9</u>	<u>.188</u>	<u>-1.5</u>	<u>99</u>

Perforations:  
 Type perforation mill  
 Size perforation 1/8 x 2.5 x 6.0 cm  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 From 51 feet to 71 feet  
 From 79 feet to 99 feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 Surface Seal:  Yes  No Seal Type:  
 Depth of Seal 50'  Neat Cement  
 Cement Grout  
 Placement Method:  Pumped  Concrete Grout  
 Poured vbentonite chips  
 Gravel Packed:  Yes  No  
 From 50 feet to 56 feet

9. WATER LEVEL  
 Static water level 19.5 feet below land surface  
 Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
 Water temperature Cold °F Quality good

10. DRILLER'S CERTIFICATION  
 This well was drilled under my supervision and the report is true to the best of my knowledge.  
 Name Maynard Well Drilling Contractor  
 Address P.O. Box 64 Lund, NV 89317 Contractor  
 Nevada contractor's license number issued by the State Contractor's Board 097226  
 Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1556  
 Signed Maynard  
 By driller performing actual drilling on site or contractor  
 Date Oct 16-13

Date started May 15 2013  
 Date completed Oct 14 2013

7. WELL TEST DATA

TEST METHOD:	G.P.M.	Draw Down (Feet Below Static)	Time (Hours)
<input checked="" type="checkbox"/> Bailer <input type="checkbox"/> Pump <input type="checkbox"/> Air Lift	<u>40</u>	<u>1'</u>	<u>1 hr</u>

RECEIVED  
 2013 OCT 18 PM 12:22  
 STATE ENGINEERS OFFICE

NAD 27  
 3 8186 04730 N  
 115.03 52650 W