

**STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
WELL DRILLER'S PLUGGING REPORT**

**OFFICE USE ONLY**  
Log No. 18417  
Permit No. \_\_\_\_\_  
Basin 102

**PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK**

*Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340*

NOTICE OF INTENT NO. 67508

1 OWNER William Conlin  
MAILING ADDRESS 1355 East Badger St  
Silver Springs, Nv 89429

ADDRESS AT WELL LOCATION 1295 East Badger St  
Silver Springs, Nv 89429  
Subdivision Name: \_\_\_\_\_ County: Lyon

2 LOCATION SE 1/4 SW 1/4 Sec 19 T 17N N/S R 25 E  
PERMIT/WAIVER No. 17-424-13  
Issued by Water Resources Parcel No.

Latitude 39.32088 UTM E  NAD 27  
Longitude 119.22637 N  NAD 83/WGS 84

3 TYPE OF WELL  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock

Is this well being plugged because a replacement well was drilled? Yes  
If yes, what is replacement well NOI? 60731

Is there an existing well log? Yes  
If yes, what is NDWR well log #? 19045

4 EXISTING WELL CONSTRUCTION  
Depth Drilled 90 Feet Depth Cased 92 Feet

| EXISTING CASING SCHEDULE |                     |                         |             |           |
|--------------------------|---------------------|-------------------------|-------------|-----------|
| Size O.D. (Inches)       | Weight/Ft. (Pounds) | Wall Thickness (Inches) | From (Feet) | To (Feet) |
| 8"                       | 16.9                | .188                    | +2          | 90        |
|                          |                     |                         |             |           |
|                          |                     |                         |             |           |

Existing Perforations:

| Type of perforation                   | Factory sawed |
|---------------------------------------|---------------|
| Size of perforation                   | 3" X 3/32     |
| From <u>70</u> feet to <u>90</u> feet |               |
| From <u> </u> feet to <u> </u> feet   |               |
| From <u> </u> feet to <u> </u> feet   |               |
| From <u> </u> feet to <u> </u> feet   |               |
| From <u> </u> feet to <u> </u> feet   |               |

5 WATER LEVEL  
Static water level 39 feet below land surface  
Artesian flow No G.P.M. No P.S.I.  
Water temperature Cold °F Quality Fair

6 Additional Notes or Comments  
Remove 2" galv pipe with sucker rod and pump cylinder.  
Remove 1 1/4" pipe with 1 HP pump

RECEIVED  
 09/21/13 11:03 AM  
 STATE ENGINEERS OFFICE

plugs well log 19045  
NAD 27  
39.320963 N  
119.2253380 W

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no  
If well was not cleaned out to total depth, please explain why: \_\_\_\_\_

Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no  
Was the casing over drilled?  yes  no

If casing was left in place, please show where additional perforations were made:  
Additional Perforations:

| Type of perforator used:              | Mills Knife                              |
|---------------------------------------|--|
| From <u>50</u> feet to <u>70</u> feet | Number of perfs per linear foot <u>6</u> |
| From <u> </u> feet to <u> </u> feet   | Number of perfs per linear foot <u> </u> |
| From <u> </u> feet to <u> </u> feet   | Number of perfs per linear foot <u> </u> |
| From <u> </u> feet to <u> </u> feet   | Number of perfs per linear foot <u> </u> |
| From <u> </u> feet to <u> </u> feet   | Number of perfs per linear foot <u> </u> |
| From <u> </u> feet to <u> </u> feet   | Number of perfs per linear foot <u> </u> |

8 WELL PLUGGING MATERIALS

| Material Used                         |                     |                                 |  |
|---------------------------------------|---------------------|---------------------------------|--|
| From <u>20</u> feet to <u>90</u> feet | Bentonite chips 3/8 | <input type="checkbox"/> Pumped | <input checked="" type="checkbox"/> Poured |
| From <u>0</u> feet to <u>20</u> feet  | cement grout        | <input type="checkbox"/> Pumped | <input checked="" type="checkbox"/> Poured |
| From <u> </u> feet to <u> </u> feet   |                     | <input type="checkbox"/> Pumped | <input type="checkbox"/> Poured            |
| From <u> </u> feet to <u> </u> feet   |                     | <input type="checkbox"/> Pumped | <input type="checkbox"/> Poured            |
| From <u> </u> feet to <u> </u> feet   |                     | <input type="checkbox"/> Pumped | <input type="checkbox"/> Poured            |
| From <u> </u> feet to <u> </u> feet   |                     | <input type="checkbox"/> Pumped | <input type="checkbox"/> Poured            |

Neat Cement Fluid Weight \_\_\_\_\_ lbs/gal  
Bentonite Grout \_\_\_\_\_ % bentonite  
Date Started 9/17/2013  
Date Completed 9/17/2013

9 DRILLER'S CERTIFICATION

This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.

Name Ogden Drilling Contractor

Address 152 N. Bybee Ln Contractor

Yerington, Nv 89447

Nevada contractor's license number issued by the State Contractor's Board 57011

Nevada driller's license number issued by the Division of Water Resources, the on-site driller 634

Signed [Signature]  
By driller performing actual drilling on site or contractor

Date 10/29/2013