

**STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S PLUGGING REPORT**

OFFICE USE ONLY
Log No. 118987
Permit No. 67953
Basin 203

**PRINT OR TYPE ONLY
DO NOT WRITE ON BACK**

*Please complete this form in its entirety in
accordance with NRS 534.170 and NAC 534.340*

NOTICE OF INTENT NO. 36665

1 OWNER Panaca Farmstead ADDRESS AT WELL LOCATION Highway 93
MAILING ADDRESS PO Box 597 Panaca, NV 89042
Panaca, NV 89042 Subdivision Name: _____ County: Lincoln

2 LOCATION NW 1/4 NW 1/4 Sec 8 T 02S N/S R 68 E Latitude N 37.792395 UTM E NAD 27
PERMIT/WAIVER No. 67953 012-170-07 Longitude W114.406308 N NAD 83/WGS 84
Issued by Water Resources Parcel No.

3 TYPE OF WELL Domestic Irrigation Test Municipal/Industrial Monitor Stock
Is this well being plugged because a replacement well was drilled? _____
If yes, what is replacement well NOI? _____
Is there an existing well log? yes
If yes, what is NDWR well log #? 85580

4 EXISTING WELL CONSTRUCTION

Depth Drilled 220 Feet Depth Cased 210 Feet

EXISTING CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
18		.250	3	100
10-3/4		.250	+2	210

7 WELL PLUGGING PROCEDURE

Was well cleaned out to total depth? yes no
If well was not cleaned out to total depth, please explain why: _____

Was the well contaminated? yes no
Was the casing pulled? yes no
Was the casing over drilled? yes no

Existing Perforations:

Type of perforation	Size of perforation	From	To
full flow louvered <td>0.8</td> <td>100 feet</td> <td>140 feet</td>	0.8	100 feet	140 feet
		160 feet	200 feet

Additional Perforations:

Type of perforator used:	From	To	Number of perfs per linear foot
Mill's Knife	0	209	2

5 WATER LEVEL

Static water level 32 feet below land surface
Artesian flow _____ G.P.M. _____ P.S.I.
Water temperature warm °F Quality good

8 WELL PLUGGING MATERIALS

From	To	Material Used	Neat cement	Pumped	Poured
3	210		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

6 Additional Notes or Comments

The original well was modified when the pump was installed.
The conductor casing was cut off at 3 ft bgs and a plate welded to the production casing, then a 10" pitless adapter was installed.
Neat cement was installed to the bottom of the pitless adapter then the pitless was removed. Final product left the plug at approximately 3' bgs.

Neat Cement Fluid Weight _____ lbs/gal
Bentonite Grout _____ % bentonite
Date Started 3-Jun-13
Date Completed 6-Jun-13

DCNR/DWR/SNBO RECEIVED
SEP 19 2013

9 DRILLER'S CERTIFICATION

This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.

Name Bevan Lister, 8-Mile Well Service, LLC Contractor
Address PO Box 124 Contractor
Pioche, NV 89043
Nevada contractor's license number issued by the State Contractor's Board 76655
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 2294

Signed Bevan Lister By driller performing actual drilling on site of contractor
Date 14-Jun-13

377924306 NAD27
-114.4054844