

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
**WELL DRILLER'S PLUGGING REPORT**

*Recondition*

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

OFFICE USE ONLY  
Log No. 121773  
Permit No. 47608  
Basin 105

PRINT OR TYPE ONLY  
DO NOT WRITE ON BACK

NOTICE OF INTENT NO. 72132

WELL NAME (if applicable):

1 OWNER Town of Minden ADDRESS AT WELL LOCATION 1/4 mile north of Buckeye Road and Orbit Way, Minden, NV.  
MAILING ADDRESS P.O. Box 205 Minden, NV. 89423  
Subdivision Name \_\_\_\_\_ County Douglas  
2 LOCATION SE 1/4 NW 1/4 Sec 27 T 13N N/S/R 20 F Latitude 38 57.813N UTM E  NAD 27  
PERMIT/WAIVER No. 47608 Longitude 119 43.448W N  NAD 83/WGS 84  
Issued by Water Resources Parcel No \_\_\_\_\_

3 TYPE OF WELL  
 Domestic  Irrigation  Test  
 Municipal/Industrial  Monitor  Stock  
Is this well being plugged because a replacement well was drilled? \_\_\_\_\_  
If yes, what is replacement well NOI? \_\_\_\_\_  
Is there an existing well log? yes  
If yes, what is NDWR well log #? 26592

4 EXISTING WELL CONSTRUCTION  
Depth Drilled 500 Feet Depth Cased 500 Feet  
EXISTING CASING SCHEDULE  
Size O.D. (Inches) Weight/Ft. (Pounds) Wall Thickness (Inches) From (Feet) To (Feet)  
12 33.38 .250 +2 500

7 WELL PLUGGING PROCEDURE  
Was well cleaned out to total depth?  yes  no  
If well was not cleaned out to total depth, please explain why: \_\_\_\_\_  
Was the well contaminated?  yes  no  
Was the casing pulled?  yes  no If pulled from: \_\_\_\_\_ feet to \_\_\_\_\_ feet  
Was the casing over drilled?  yes  no  
If casing was left in place, please show where additional perforations were made:  
Additional Perforations: \_\_\_\_\_  
Type of perforator used:  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet Number of perfs per linear foot \_\_\_\_\_

Existing Perforations:  
Type of perforation Wire Wrap Screen  
Size of perforation 0.1  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet

5 WATER LEVEL  
Static water level 54.3' feet below land surface  
Artesian flow \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
Water temperature \_\_\_\_\_ °F Quality \_\_\_\_\_

6 Additional Notes or Comments  
Due to the low yield and high arsenic content in the screen zones from 454' to 500', it was decided to cement off this area of the well to reduce the arsenic influence. We installed 495' of 2" tremme pipe. We then mixed 60 bags of Portland Type II cement with approx. 300 gallons of water and pumped into the well from bottom into the blank section from 415' to 454'. We removed the tremme pipe and the following day we tagged the top of the cement at 427'. This is in the blank section of the well.

8 WELL PLUGGING MATERIALS  
Material Used  
From 500 feet to 427 feet Neat cement  Pumped  Poured  
From \_\_\_\_\_ feet to \_\_\_\_\_ feet  Pumped  Poured  
Neat Cement Fluid Weight 14.4 lbs/gal  
Bentonite Grout \_\_\_\_\_ % bentonite  
Date Started 3-Feb-15  
Date Completed Feb. 3, 2015

*Reconditioning of well*  
NAD 27  
38.9636420N  
119.7231240W

9 DRILLER'S CERTIFICATION  
This well was plugged and abandoned under my supervision and the report is true to the best of my knowledge.  
Name Carson Pump, LLC Contractor  
Address P.O. Box 20159 Carson City, NV. 89721 Contractor  
Nevada contractor's license number \_\_\_\_\_ issued by the State Contractor's Board 39920A  
Nevada driller's license number issued by the Division of Water Resources, the on-site driller 1482  
Signed [Signature] By driller performing actual drilling or contractor  
Date 2/17/2015

RECEIVED  
FEB 20 11:20  
STATE ENGINEER OFFICE

*Reconditions Well log 26592*