

STATE OF NEVADA  
DIVISION OF WATER RESOURCES  
**WELL DRILLER'S REPORT**

OFFICE USE ONLY  
Log No. 124850  
Permit No. \_\_\_\_\_  
Basin No. 101

PRINT OR TYPE IN BLACK INK ONLY  
DO NOT WRITE ON BACK

Please complete this form in its entirety in  
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 74471  
WELL NAME (if applicable): \_\_\_\_\_

1. OWNER/CLIENT NAME Falton Rule  
MAILING ADDRESS 1905 Sack Lake Rd  
Falton NV 89406  
2. PLS LOCATION NE 1/4 Sec 19 N/S 28 E  
PERMIT/WAIVER NO. 008-17749  
NE Issued by Water Resources Current Parcel No.

DETAILED ADDRESS AT WELL LOCATION 1905 Sack Lake Rd  
Falton NV 89406  
Subdivision Name: \_\_\_\_\_ County: Churchill  
Latitude \_\_\_\_\_ UTM E 0340200  NAD 27  
Longitude \_\_\_\_\_ UTM N 4373903  NAD 83/WGS 84

3. WORKED PERFORMED  
 New Well  Deepen: Orig WL# \_\_\_\_\_  
 Replacement: Original well log # \_\_\_\_\_  
 Recondition: Original well log # \_\_\_\_\_

4. PROPOSED USE  
 Domestic  Irrigation  Monitor  
 Mining / Dewater  Com / Ind  Stock  
 Test / Other  Mun / QM  Rec

5. WELL TYPE  
 Auger  Rotary  RVC  
 Air  Mud  Sonic  
 Other

6. LITHOLOGIC LOG

Material Encountered	Lost Circ	Water Strata	From	To	Thick-ness
Brown Sands			0	60	60
Black Sands & Clgs			60	90	30
Coar. Sand		K	90	105	15
Orange Sands & Clgs		X	105	120	15
Black Sands & Clgs		K	120	145	15
Brown Sands & Clgs		K	145	157	12

9. WELL CONSTRUCTION  
Depth Drilled: 157 Feet  
Depth Cased: 157 Feet  
HOLE DIAMETER (BIT SIZE)  
From \_\_\_\_\_ To \_\_\_\_\_  
10 7/8 Inches \_\_\_\_\_ Feet 103 Feet  
6 9/8 Inches 103 Feet 157 Feet  
Inches \_\_\_\_\_ Feet \_\_\_\_\_ Feet

CASING SCHEDULE

Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>6 9/8</u>	<u>12.9</u>	<u>.188</u>	<u>+1</u>	<u>157</u>

PERFORATIONS:  
Type of perforation: Factory Cut  
Size of perforation: 60 thousandths 2" Cut  
From 150 Feet To 155 Feet  
From \_\_\_\_\_ Feet To \_\_\_\_\_ Feet  
From \_\_\_\_\_ Feet To \_\_\_\_\_ Feet

ANNULAR MATERIALS  
 Sanitary Seal \_\_\_\_\_ to \_\_\_\_\_  
 Neat Cement 3 to 103  Pumped  Poured  
 Cement Grout \_\_\_\_\_ to \_\_\_\_\_  Pumped  Poured  
 Concrete Grout \_\_\_\_\_ to \_\_\_\_\_  Pumped  Poured  
 Bentonite Chips \_\_\_\_\_ to \_\_\_\_\_  Pumped  Poured  
 Bentonite Grout \_\_\_\_\_ to \_\_\_\_\_  Pumped  Poured  
 15%  20%  Other, explain: \_\_\_\_\_  
 Gravel Pack [ > 0.2 in. ] \_\_\_\_\_ to \_\_\_\_\_  Pumped  Poured  
 Sand Pack [ < 0.2 in. ] \_\_\_\_\_ to \_\_\_\_\_  Pumped  Poured  
 Other, explain: \_\_\_\_\_ to \_\_\_\_\_  Pumped  Poured

Date started: 3-8-16, 20\_\_\_\_  
Date completed: 3-9-16, 20\_\_\_\_  
7. WATER QUALITIES  
Static water level: 39 Feet below land surface  
Artesian Flow: \_\_\_\_\_ G.P.M. \_\_\_\_\_ P.S.I.  
Water Temperature: Coal ° Fahrenheit  
Water Quality: Not tested

8. WELL TEST DATA

Test Method: <input type="checkbox"/> Bailor <input type="checkbox"/> Pump <input checked="" type="checkbox"/> Air Lift	G.P.M.	Draw Down (Feet Below Static)	Recorded Time (Hours)
	<u>40</u>	<u>NAD 27</u>	<u>1</u>
		<u>39.501789</u>	
		<u>118.858530</u>	

10. DRILLER'S CERTIFICATION  
This well was drilled under my supervision. This report is true to the best of my knowledge.  
Name Webco Corp Contractor  
Address Po Box 888 Falton NV 89407 Contractor  
Nevada contractor's license number as issued by the State Contractor's Board: 0011702  
Nevada well driller's license number as issued by the Nevada Division of Water Resources (on-site driller): 2539  
Signed: \_\_\_\_\_  
By driller performing actual drilling on site or contractor  
Date: 3-9-16

Replacing unknown well log