

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S REPORT

OFFICE USE ONLY
Log No. 124940
Permit No. _____
Basin No. 153

PRINT OR TYPE IN BLACK INK ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in
accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 69059
WELL NAME (if applicable): _____

1. OWNER/CLIENT NAME Debby Newton
MAILING ADDRESS Hc 60 Box 6272
Eureka Nevada 89316

DETAILED ADDRESS AT WELL LOCATION _____
D Bar M Ranch
Subdivision Name: _____ County: Eureka

2. PLS LOCATION SW 1/4 SE 1/4 17 Sec 21 T S 54 E
PERMIT/WAIVER NO. 007-250-27
Issued by Water Resources Current Parcel No.

Latitude 39°40.830 UTM E NAD 27
Longitude 115°55.022 UTM N NAD 83/WGS 84

3. WORKED PERFORMED
 New Well Deepen: Orig WL# _____
 Replacement: Original well log # _____
 Recondition: Original well log # _____

4. PROPOSED USE
 Domestic Irrigation Monitor
 Mining / Dewater Com / Ind Stock
 Test / Other Mun / QM Rec

5. WELL TYPE
 Auger Rotary RVC
 Mud Sonic
 Other

6. LITHOLOGIC LOG					
Material Encountered	Lost Circ.	Water Strata	From	To	Thick-ness
<u>sand small gravel</u>			<u>0</u>	<u>3</u>	
<u>Brown clay</u>			<u>3</u>	<u>15</u>	
<u>Gravel</u>		<u>X</u>	<u>15</u>	<u>378</u>	
<u>Brown clay</u>			<u>378</u>	<u>380</u>	
<u>gravel</u>		<u>X</u>	<u>380</u>	<u>395</u>	
<u>Brown clay</u>			<u>395</u>	<u>400</u>	

9. WELL CONSTRUCTION
Depth Drilled: 400 Feet
Depth Cased: 400 Feet

HOLE DIAMETER (BIT SIZE)			
Inches	From	To	Feet
<u>10 5/8"</u>	<u>0</u>	<u>400</u>	

CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
<u>6 5/8</u>		<u>.188</u>	<u>18</u>	<u>300</u>
<u>6 5/8</u>		<u>.250</u>	<u>300</u>	<u>400</u>

PERFORATIONS:
Type of perforation: mill slot
Size of perforation: 3 By 3/16 90 mill
From 200 Feet To 220 Feet
From 260 Feet To 280 Feet
From 320 Feet To 340 Feet

ANNULAR MATERIALS 400
 Sanitary Seal 0 to 52
 Neat Cement 0 to 52 Pumped Poured
 Cement Grout _____ to _____ Pumped Poured
 Concrete Grout _____ to _____ Pumped Poured
 Bentonite Chips _____ to _____ Pumped Poured
 Bentonite Grout _____ to _____ Pumped Poured
 15 % 20 % Other, explain: _____
 Gravel Pack [> 0.2 in.] 52 to 400 Pumped Poured
 Sand Pack [< 0.2 in.] _____ to _____ Pumped Poured
 Other, explain: _____ to _____ Pumped Poured

Date started: 3-28 .20 16
Date completed: 4-4 .20 16

7. WATER QUALITIES
Static water level: 177 Feet below land surface
Artesian Flow: _____ G.P.M. _____ P.S.I.
Water Temperature: 54 ° Fahrenheit
Water Quality: _____

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision. This report is true to the best of my knowledge.
Name Rosentund Drilling L.L.C
Address Hc 60 Box 890 Ruby Valley NV 89833

8. WELL TEST DATA			
Test Method:	G.P.M.	Draw Down (Feet Below Static)	Recorded Time (Hours)
<input type="checkbox"/> Bailor <input type="checkbox"/> Pump <input checked="" type="checkbox"/> Air Lift	<u>100</u>		<u>8</u>

Nevada contractor's license number as issued by the State Contractor's Board: 79932
Nevada well driller's license number as issued by the Nevada Division of Water Resources (on-site driller): 2465
Signed: Sagan Rosentund
By driller performing actual drilling on site or contractor
Date: 4-10-2016