

STATE OF NEVADA
DIVISION OF WATER RESOURCES
WELL DRILLER'S REPORT

OFFICE USE ONLY
Log No. 125388
Permit No. _____
Basin No. 047

PRINT OR TYPE IN BLACK INK ONLY
DO NOT WRITE ON BACK

Please complete this form in its entirety in accordance with NRS 534.170 and NAC 534.340

NOTICE OF INTENT NO. 74854
WELL NAME (if applicable): RBMW-1

1. OWNER/CLIENT NAME Kinross Gold Inc
MAILING ADDRESS 9400 Gateway Drive Suite C
Reno Nevada 89521

DETAILED ADDRESS AT WELL LOCATION _____
Bald Mountain Mine
Subdivision Name: _____ County: White Pine

2. PLS LOCATION SW 1/4 SE 1/4 18 Sec 24N R3S 57 E
PERMIT/WAIVER NO. M/O-2073
Issued by Water Resources Division Permit No.

Latitude _____ UTM E 496015.633 NAD 27
Longitude _____ UTM N 1891655.475 NAD 83/WGS 84

3. WORKED PERFORMED
 New Well Deepen: Orig WL# _____
 Replacement: Original well log # _____
 Recondition: Original well log # _____

4. PROPOSED USE
 Domestic Irrigation Monitor
 Mining / Dewater Com / Ind Stock
 Test / Other Mun / QM Rec

5. WELL TYPE
 Auger Rotary RVC
 Air Mud Sonic
 Other

6. LITHOLOGIC LOG				
Material Encountered	Lost Circ.	Water Strata	From	To
Gravel			0	210
Clay red orange			210	215
Orange Red Shale			215	295
Clay red orange			295	300
White Orange Sandstone			300	325
Clay red orange			325	330
Blue Green Sandstone			330	465
Orange sandstone			465	490
Clay orange			490	495
Sandstone Shale Siltstone		X	495	1060
White Tan Orange				
Gray Shale Siltstone			1060	1110
Sandstone Siltstone			1110	1140
various colors				
Gray Shale Siltstone			1140	1175
Sandstone Siltstone			1175	1285
White Pink Orange				
Gray Shale			1285	1300

9. INSTRUCTION			
Depth Drilled: 1300	Feet	Depth Cased: 1300	Feet
HOLE DIAMETER (BIT SIZE)			
	From	To	
14-3/4	Inches 0	Feet 20	Feet
8-1/2	Inches 20	Feet 1300	Feet
	Inches	Feet	Feet

CASING SCHEDULE				
Size O.D. (Inches)	Weight/Ft. (Pounds)	Wall Thickness (Inches)	From (Feet)	To (Feet)
10-3/4		0.250	20	+3
4-1/2		0.250	1300	+2.5

ANNULAR MATERIALS					
Sanitary Seal	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No			
<input checked="" type="checkbox"/> Neat Cement	0	to 50	<input checked="" type="checkbox"/> Pumped	<input type="checkbox"/> Poured	
<input type="checkbox"/> Cement Grout		to	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured	
<input type="checkbox"/> Concrete Grout		to	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured	
<input type="checkbox"/> Bentonite Chips	50	to 1196	<input checked="" type="checkbox"/> Pumped	<input type="checkbox"/> Poured	
<input checked="" type="checkbox"/> Gravel Pack [> 0.2 in.]	1196	to 1300	<input checked="" type="checkbox"/> Pumped	<input type="checkbox"/> Poured	
<input type="checkbox"/> Sand Pack [< 0.2 in.]		to	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured	
<input type="checkbox"/> Other, explain:		to	<input type="checkbox"/> Pumped	<input type="checkbox"/> Poured	

PERFORATIONS:					
Type of perforation:	<u>Mill Slot</u>				
Size of perforation:	<u>0.125</u>				
From <u>1198</u>	Feet	To <u>1298</u>	Feet		
From _____	Feet	To _____	Feet		
From _____	Feet	To _____	Feet		
From _____	Feet	To _____	Feet		

Date started: July 21, 20 16
Date completed: July 27, 20 16

7. WATER QUALITIES
Static water level: 1033 Feet below land surface
Artesian Flow: _____ G.P.M. _____ P.S.I.
Water Temperature: 68 ° Fahrenheit
Water Quality: Good

10. DRILLER'S CERTIFICATION
This well was drilled under my supervision. This report is true to the best of my knowledge.
Name Boart Longyear Company
Address PO Box 2748 Elko, NV. 89803

8. WELL TEST DATA			
Test Method:	G.P.M.	Draw Down (Feet Below Static)	Recorded Time (Hours)
2-3/8 pipe	10	1033	6
		<u>NAD 27</u>	
		<u>39.945918</u>	
		<u>115.597510</u>	

Nevada contractor's license number as issued by the State Contractor's Board 0021976
Nevada well driller's license number as issued by the Nevada Division of Water Resources (on-site driller) 2446
Signed: BymBady
Date 08/09/16

(Rev. 12-13)